Drawing number	Description	Date
12B	Anvil-block and pallet for 20 cwts steam hammer	[Not dated]
17B	Standard for 6 ton hammer	[Not dated]
20B	20 cwts steam hammer	[Not dated]
21B 22B	1 pair of necking fillers for shafts ranging from 4 inch to 7 inch diameter 30 cwts steam hammer, stroke 39 inch	2.11.1885 [Not dated]
23B	30 inch circular saw	12.1.1886
24B	Foundation for old 5 cwt hammer, made 1863	12.1.1886
25B 27B	5 cwts steam hammer - details 20 cwts steam hammer, 15 inch diameter, 30 inch stroke	[East Indian Railway Co] [Not dated]
28B	Standard for 2.5 ton steam hammer	[Not dated]
32B	Connecting rod	[Not dated]
33B 34B	Foundation for 60 cwts steam hammer 6 cwts steam hammer, cylinder 9.5 inch, stroke 22 inch	[Not dated] [Not dated]
40B	5 cwts steam hammer, cylinder 10 inch, stroke 21 inch	[Not dated]
44B 48B	Foundation for 40 cwts steam hammer Standard for 20 cwts steam hammer	[Not dated]
51B	Band saw machine	[Not dated] [Not dated]
53B	Anvil block and baseplate for 60 cwts steam hammer 76 cwts steam hammer, Imperial Rigby type, cylinder 10 3/4 inch, stroke 24	[Not dated]
54B 55B	inch 20 cwts steam hammer, cylinder 16 inch, stroke 2 foot 9 inch	[Not dated] [Not dated]
58B	Foundation for 20 cwts steam hammer	[Not dated]
59B	[Steam hammer]	[Not dated]
50B	10 cwts steam hammer	[Not dated]
61B 62B	Catch to stop rebound of drop stamp Special valve cheet for 3 cwts hammer	5.6.1886 [Not dated]
64B	5 tons hand jib crane	8.3.1888
68B	Circular saw, 30 inch diameter	[Not dated]
69B	Steam hammer Foundation for 4 cwts steam hammer with slides, overhanging form, usual	10.7.1888
71B 72B	type cast iron framing 2 cwts steam hammer, cylinder 7 inch, stroke 16 inch	[30.11.1909] [Not dated]
73B	Standard for 15 cwts steam hammer	[Not dated]
74B	1/2 cwt steam hammer	[Not dated]
75B 77B	Forging machine 3 cwts steam hammer, cylinder 7 1/2 inch, stroke 17 inch	[Not dated]
77B 78B	3 cwt air cushion: hammer	[Not dated] [Not dated]
79B	Circular saw for cold iron, 26 inch diameter	[Not dated]
80B	20 cwts steam hammer, cylinder 14 inch, stroke 36 inch	[Not dated]
82B 83B	Furnace (double door) for 10 cwt steam hammer Girder for steam hammer	[Not dated] [Not dated]
85	[Hammer]	[Not dated]
86B	Band saw machine, self-acting feed	[Not dated]
88B	30 inch circular saw for hot iron 10 cwts steam hammer, cylinder 12 inch, stroke 27 inch	[Not dated]
89B 90B	Foundation for 10 cwts steam hammer	[Not dated] [Not dated]
92B	Foundation for 3 cwts steam hammer	[Not dated]
93B	Baseplate and anvil block for 10 cwts steam hammer	[Not dated]
94B 95B	Foundation for 11 cwts steam hammer 3 ton steam hammer	[Not dated] [Not dated]
96B	1 1/2 cwts steam hammer	[Not dated]
97B	Foundation for 1/2 cwt stamping hammer	[Not dated]
99B 100B	Anvil block for 1/2 cwt stamping hammer 1/2 cwt steam hammer	[Not dated]
101B	Foundation for 2 cwts steam hammer	[Not dated] [Not dated]
102B	Foundation for 30 tons steam press	[Not dated]
103B	Foundation for 3 1/2 cwts drop stamp Steam hammer	[Not dated]
104B 106B	8 cwts steam hammer	[Not dated] [Not dated]
107B	7 cwts steam hammer, cylinder 10 inch, stroke 2 foot	[Not dated]
108B	Foundation for 1/2 cwt steam hammer	[Not dated]
109B 111B	Foundation for 1/2 cwt steam hammer Foundation for 12 cwt steam hammer	[Not dated] [Not dated]
112B	Cylinder for 60 cwts steam hammer	[Not dated]
113B	Foundation for 10 cwts steam hammer	[Not dated]
115B 116B	5 cwts steam stamp 1 cwt suspended hammer	[Not dated] [Not dated]
117B	Anvil block and baseplate for 5 cwts steam hammer	[Not dated]
118B	Baseplate and anvil block for 1 1/2 cwts steam hammer	[Not dated]
119B 123B	Foundation for 15 cwts steam hammer Cylinder for 5 cwts steam hammer	[Not dated] [Not dated]
124B	100 tons steam forging press	[Not dated]
125B	5 cwts steam hammer Foundation for 6 tons steam hammer	[Not dated]
127B 128B	Anvil-block for 6 tons steam hammer	[Not dated] [Not dated]
129B	Foundation for 20 cwts steam hammer	[Not dated]
130B 131B	8 tons steam hammer, cylinder 32 inch, stroke 7 foot Piston valve and rings for 6 tons steam hammer	[Not dated] [Not dated]
131B 132B	Bolts etc.	[Not dated]
133B	Bolts	[Not dated]
134B 137B	Foundation for 5 cwts steam hammer 4 cwts steam hammer	[Not dated] [Not dated]
137B 138B	Foundation for 5 cwts steam stamp	[Not dated]
139B	Foundation for 8 cwts steam hammer	[Not dated]
140B 141B	Foundation for 1 cwt friction drop hammer 5 cwts steam stamp	[Not dated] [Not dated]
143	Hammer	[Not dated]
144B	Anvil-block for 3 cwts steam hammer	[1889]
146B 147B	Baseplate and anvil-block for 40 cwts steam hammer Cylinder for 60 cwts steam hammer	[Not dated] [Not dated]
148B	Foundation for 8 cwts steam hammer	[Not dated]
149	Foundation for 3 tons steam hammer	[Not dated]
150 151B	[Steam hammer] Baseplate and anvil-block for 3 cwt steam hammer	[Not dated] [Not dated]

	Beautiful and an ill black for 40 and at each beautiful	
152B		[Not dated]
153B 158B	· ·	[Not dated] [Not dated]
159B		[Not dated]
160B		[Not dated]
161B		[Not dated]
162	1 1/2 cwt steam hammer	[Not dated]
164B		[Not dated]
165B		[Not dated]
166B	·	[Not dated]
167B 168B		[Not dated] [Not dated]
170B		[Not dated]
170B 172B		[Not dated]
173B		[Not dated]
176B		[Not dated]
177B	Anvil-block and baseplates for 50 cwt steam hammer	[Not dated]
180B		[Not dated]
	Foundation for 6 cwt steam hammer with slides, overhanging form, usual type,	
181B	cast iron framing	19.10.1901
182B		[Not dated]
185B 186B		[Not dated] [Not dated]
187B	·	[Not dated]
188B		[Not dated]
191B		[Not dated]
192B	·	[Not dated]
194B		[Not dated]
195B		[Not dated]
197B		[Not dated]
199B	Bloc d'enclume pour Marteau Pilon de 150 kilos	[Not dated]
200B	Anvil block for 3cwt steam hammer	[Not dated]
207B	1.5 cwt steam hammer stamp	[Not dated]
210B	50cwt steam hammer, diameter of cylinder 1' 9inch; stroke 4' 3inch	[Not dated]
218B	10cwt steam hammer	[Not dated]
219B		[Not dated]
220B		[Not dated]
221B		[Not dated]
222B		[Not dated]
223B		[Not dated]
224B		[Not dated]
226B 227B		[Not dated]
227B 228B		[Not dated]
231B		[Not dated] [Not dated]
233B	· · · · · · · · · · · · · · · · · · ·	[Not dated]
234B		[Not dated]
237B		[Not dated]
240B		[Not dated]
243B		[Not dated]
244B		[Not dated]
245B	30inch circular saw	[Not dated]
246B	15cwt friction drop hammer	[Not dated]
247B	0.5cwt steam hammer	[Not dated]
249B		[Not dated]
250B		March 1874
253B		[Not dated]
245B	10cwt steam hammer	17.3.1890
258B		[Not dated]
260B 261B		[Not dated] [Not dated]
264b	Foundation for 3cwt steam hammer	[Not dated]
273B		[Not dated]
278B		[Not dated]
281B		[Not dated]
282B		
287B		
		[Not dated]
289B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch	
289B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch	[Not dated] [Not dated]
290B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing	[Not dated] [Not dated] [Not dated] pre Aug 1890
290B 291B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890
290B 291B 292B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated]
290B 291B 292B 294B 299B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated] [Not dated]
290B 291B 292B 294B 299B 300B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated] [Not dated] [Not dated]
290B 291B 292B 292B 294B 299B 300B 301B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] [Not dated]
290B 291B 292B 292B 294B 299B 300B 301B 304B 309B 311B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated]
290B 291B 292B 292B 294B 299B 300B 301B 304B 309B 311B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated] [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch	[Not dated] [Not dated] [Not dated]  pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm]	[Not dated] [Not dated] [Not dated] Pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 326B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer	[Not dated] [Not dated] [Not dated] Pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 322B 323B 324B 326B 327B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 322B 323B 324B 326B 327B 327B 328B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer, diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer	[Not dated] [Not dated] [Not dated] pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 326B 327B 328B 328B 329B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Tools for steam hammer Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch	[Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 326B 327B 328B 327B 328B 329B 331B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Tools for steam hammer Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw	[Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 322B 323B 324B 325B 327B 326B 327B 328B 329B 331B 331B 331B 332B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer, diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Foundation for 3cwt steam hammer Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw 100 tons steam press	[Not dated] [Not dated] [Not dated] [Not dated]  pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 322B 324B 326B 327B 328B 328B 328B 329B 331B 331B 331B 332B 331B 332B 333B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Tools for steam hammer Tools for steam hammer Tools for steam hammer Tools for steam hammer Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw 100 tons steam pammer, diameter of cylinder 9inch; stroke 20inch	[Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 312B 322B 322B 323B 324B 326B 327B 328B 328B 329B 331B 332B 333B 337B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilon de 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Tools for steam hammer Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw 100 tons steam press Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch Cylinder for 3cwt steam hammer	[Not dated] [Not dated] [Not dated] Pre Aug 1890 1.9.1890 [Not dated] [Inot dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 326B 327B 328B 327B 328B 327B 328B 327B 328B 327B 328B 327B 328B 331B 332B 3331B 332B 3331B 3332B 3337B 3338B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Foundation for 3cwt steam hammer Tools for steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw 100 tons steam press Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch Cylinder for 3cwt steam hammer Cylinder for 5ton steam hammer	[Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 322B 322B 323B 324B 326B 327B 327B 328B 327B 328B 327B 327B 328B 327B 328B 327B 337B 338B 337B 3338B 337B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Foundation for 3cwt steam hammer Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw 100 tons steam press Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch Cylinder for 5ton steam hammer Anvil block for 4cwt steam hammer	[Not dated] [Not dated] [Not dated] [Not dated]  pre Aug 1890 1.9.1890 [Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 326B 327B 328B 327B 328B 327B 328B 327B 328B 327B 328B 327B 328B 331B 332B 3331B 332B 3331B 3332B 3337B 3338B	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Tools for steam hammer Tools for steam hammer Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw 100 tons steam press Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch Cylinder for 3cwt steam hammer Cylinder for 5ton steam hammer Anvil block for 4cwt steam hammer Marteau pilon de 2500 kilos	[Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 326B 327B 327B 328B 329B 331B 332B 337B 332B 332B 331B 332B 331B 332B 332B 331B 332B 332	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Tools for steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw 100 tons steam press Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch Cylinder for 3cwt steam hammer Cylinder for 5ton steam hammer Anvil block for 4cwt steam hammer Marteau pilon de 2500 kilos Tup for 20cwt steam hammer	[Not dated]
290B 291B 292B 294B 299B 300B 301B 304B 309B 311B 313B 317B 319B 321B 322B 323B 324B 326B 327B 328B 329B 331B 332B 332B 332B 332B 332B 332B 332	7cwt steam hammer, diameter of cylinder 9inch; stroke 24inch 2cwt steam hammer Foundation for 10cwt steam hammer, with slides, arch form, usual type, cast iron framing Alterations to special 5cwt hammer Standard for 40cwt steam hammer 20cwt steam hammer, cylinder 14.5inch diameter; stroke 33inch Marteau-pilon de 350 kilos, diameter de cylindre 254mm; course 610mm 50cwt (?) steam hammer 3cwt steam hammer 12cwt steam hammer, diameter of cylinder 12 1/8inch; stroke 27inch Marteau pilon de 150 kilos, diameter du cylindre 190mm; course 432mm Foundation for 5 cwt steam hammer Marteau pilond 150 kilos 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, diameter of cylinder 1' 9inch; stroke 5@ 0inch 3/4 cwt steam hammer, with slides, overhanging form, shuttle-tip type, cast iron framing 10cwt steam hammer, diameter of cylinder 13inch; stroke 18inch Band saw machine 3 ton steam hammer; diameter of cylinder 1'9inch; stroke 4' 6inch Marteau pilon de 2500 kilos, diameter du cylindre 476[mm]; course 1295 [mm] Baseplate & anvil-block for 10 cwt steam hammer Foundation for 3cwt steam hammer Foundation for 3cwt steam hammer Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch 36inch circular saw 100 tons steam press Horizontal steam hammer, diameter of cylinder 9inch; stroke 20inch Cylinder for 3cwt steam hammer Cylinder for 5ton steam hammer Cylinder for 5ton steam hammer Anvil block for 4cwt steam hammer Marteau pilon de 2500 kilos Tup for 20cwt steam hammer 40cwt steam hammer, diameter of cylinder 18inch; stroke 45inch	[Not dated] [Not dated] [Not dated] [Not dated] Pre Aug 1890 1.9.1890 [Not dated]

348B	Foundation for 3cwt steam hammer	[pre Jan 1891]
349B	Band saw machine Cylinder for 50cwt steam hammer	[Not dated]
351B 354B	2.5cwt steam hammer, diameter of cylinder 7.5inch; stroke 14inch	[Not dated] [Not dated]
359B	10cwt steam hammer, diameter of cylinder 13inch; stroke 27inch	[Not dated]
360B	4cwt steam stamp, 9inch diameter cylinder; 17inch stroke	[Not dated]
362B 363B	40cwt steam hammer	[Not dated]
364B	1.5cwt steam hammer, diameter of cylinder 6inch; stroke 13inch 7.5cwt steam hammer, diameter of cylinder 10inch; stroke 24inch	[Not dated] [Not dated]
365B	0.5cwt steam hammer	[Not dated]
368B	none	[Not dated]
369B 373B	Foundation for 20cwt steam hammer 40cwt steam hammer, diameter of cylinder 457mm; stroke 1143mm	[pre Jan 1901] [Not dated]
378B	Cylinder for 25 cwt steam hammer	20.6.1890
380B	5cwt steam hammer	[Not dated]
383B	Base-plate for 30 cwt steam hammer	[Not dated]
386B 387B	15cwt steam hammer, diameter of cylinder 14.5inch; stroke 24inch Framing for 10cwt steam hammer	[Not dated] [Not dated]
388B	Fondation pour marteau pilon de 2500 kilos	[Not dated]
389B	Foundation for 15cwt steam hammer	[Not dated]
393B 401B	Framing for 10cwt steam hammer  12cwt steam hammer, diameter of cylinder 13.75inch; stroke 20inch	[Not dated] [Not dated]
402B	Foundation for 7 tons steam hammer	[Not dated]
403B	4 ton steam hammer, 24.5inch diameter of cylinder; 60inch stroke	[Not dated]
409B	40cwt steam hammer, diameter of cylinder 18inch; stroke 45inch	[Not dated]
410B 411B	30inch diameter hot iron saw, special framing &c Furnace for 10cwt steam hammer	[Not dated] [Not dated]
413B	25inch circular saw for cold iron	[Not dated]
414B	3 ton steam hammer, diameter of cylinder 23inch; stroke 54inch	[pre Oct 1900]
416B	Arc furnace 0.5cwt steam hammer, diameter of cylinder 4 5/8inch; stroke 14inch	[Not dated]
418B 421B	Anvil-block & base plates for 60cwt steam hammer	[Not dated] [Not dated]
422B	1.5cwt steam hammer, diameter of cylinder 6inch; stroke 15inch	[Not dated]
424B	30cwt steam hammer, diameter of cylinder 1'5inch; stroke 3' 3inch	[Not dated]
427B 428B	10cwt steam stamp Foundation for 10cwt steam hammer	[Not dated]
431B	30cwt steam hammer, diameter of cylinder 1' 5inch; stroke 3' 3inch	[Not dated] [Not dated]
436B	1 cwt steam hammer, diameter of cylinder 5.25inch; stroke 12inch	[pre July 1891]
437B	2.5 cwt steam hammer, diameter of cylinder 6inch; stroke 15inch	[Not dated]
438B 439B	Cylinder for 7 cwt steam hammer 2.5cwt steam hammer, diameter of cylinder 6inch; stroke 15inch	[Not dated] [Not dated]
444B	1cwt suspended hammer, diameter of cylinder 5.24inch; stroke 13inch	[Not dated]
445B	none	[Not dated]
449B 451B	[frame for steam hammer?]	[Not dated]
451B 452B	[steam hammer] 2.5cwt steam hammer, diameter of cylinder 7.5inch; stroke 17inch	[Not dated] [Not dated]
	10cwt steam hammer, with slides, overhanging form, usual type, cast iron	[
454B	framing, anvil, block & baseplate	[Not dated]
457B 459B	3cwt steam hammer, diameter of cylinder 7.5inch; stroke 17inch 3 ton steam hammer, diameter of cylinder 1' 9inch; stroke 4' 6inch	[Not dated] [Not dated]
461B	Cylinder for 15 cwt steam hammer	[Not dated]
463B	3cwt steam hammer, diameter of cylinder 7.5inch; stroke 17inch	[Not dated]
468B	30cwt steam hammer, diameter of cylinder 17inch; stroke 48inch	[Not dated]
470B 474B	Foundation for 60cwt steam hammer, bow frame 7cwt steam stamp, diameter of cylinder 11inch; stroke 24inch	[Not dated] [Not dated]
477B	5cwt steam hammer, anvil block and base plate	[Not dated]
478B	Steam chest for 40cwt steam hammer	[Not dated]
480B	Methods of fastening piston rod ends for 30cwt, 20cwt & 50cwt steam hammers	[Not dated]
484B	10cwt steam stamp, diameter of cylinder 12inch; 30 stroke	[Not dated]
486B	0.5cwt steam hammer	[Not dated]
488B 489B	Tup for 15cwt steam hammer 15 cwt steam hammer, 13 3/8inch diameter; 30inch stroke	[Not dated]
490B	Foundation for 5cwt steam hammer	[Not dated] [Not dated]
493B	1cwt steam hammer, diameter of cylinder 15.25inch;stroke 12inch	[Not dated]
496B	25cwt steam hammer, diameter of cylinder 15.75inch; stroke 3'	[Not dated]
502B 503B	10cwt steam hammer, diameter of cylinder 12 inch; stroke 27inch 15 cwt steam hammer, diameter of cylinder 13 3/8inch; stroke 3'	[Not dated] [Not dated]
505B	5 ton steam hammer, diameter of cylinder 27.5inch; stroke 66inch	[Not dated]
509B	Base block for 10cwt steam hammer	[Not dated]
510B	2 ton jib crane for B&S Massey	[Not dated] [Not dated]
511B 513B	Steam Hammer standard Valve chest for 5 tons steam hammer	[Not dated]
515B	5cwt steam hammer, diameter of cylinder 10inch; stroke 21inch	[Not dated]
516B	1.5cwt steam hammer, diameter of cylinder 6inch; stroke 13inch	[Not dated]
517B 520B	Alteration of 7cwt steam hammer, diameter of cylinder 9.5inch; stroke 27inch 5cwt friction hammer, maximum fall 4'6inch	[Not dated] [Not dated]
524B	Piston rod for 60cwt steam hammer	[Not dated]
525B	3cwt steam stamp	[Not dated]
526B	Foundation for 12 cwt steam hammer Piston for 10cwt steam hammer	[Not dated]
527B 529B	30inch circular saw	[Not dated] [Not dated]
532B	2cwt steam hammer, diameter of cylinder 7.5inch; stroke 14inch	[Not dated]
536B	5cwt steam hammer, diameter of cylinder 10inch; stroke 21inch	[Not dated]
537B 539B	1.5cwt steam hammer, diameter of cylinder 6inch; stroke 13inch     10cwt steam hammer, diameter of cylinder 12inch; stroke 27inch	[Not dated] [Not dated]
540B	1.5cwt seam hammer, diameter of cylinder finch; stroke 27mch	[Not dated]
541B	3cwt steam stamp	[Not dated]
542B 543B	5cwt steam hammer (with details of patent) 1.5cwt steam hammer	[Not dated] [Not dated]
544B	2cwt steam hammer, for flue welding	[Not dated]
545B	2cwt steam hammer, for flue welding	[Not dated]
547B	40cwt steam hammer, diameter of cylinder 18inch; stroke 45inch	[Not dated]
549B 550B	Anvil block for 7 cwt steam hammer Foundation for 14cwt steam hammer	[pre April 1892] [Not dated]
551B	5cwt kick stamp	[Not dated]
552B	Forgings for 1.5cwt steam hammer	2.5.1892
554B 555B	5 ton steam hammer, diameter of cylinder 27.5inch; stroke 66inch 3cwt steam hammer, diameter of cylinder 7.5inch; stroke 17inch	[Not dated] [Not dated]
5555	1.5cwt steam hammer, without slides diameter of cylinder 5.5inch; stroke	[1401 dated]
556B	14inch	[Not dated]

557B	25cwt steam hammer	[Not dated]
558B	10cwt steam hammer	[Not dated]
560B	Band saw machine	[Not dated]
562B 564B	2cwt steam hammer, diameter of cylinder 6.5inch; stroke 14inch 3cwt steam hammer, diameter of cylinder 7.5inch; stroke 17inch	[Not dated] [Not dated]
565B	3cwt steam hammer, diameter of cylinder 8inch; stroke 17inch	[Not dated]
566B	1.5 cwt steam hammer, double-acting, self-acting & handworked	[Not dated]
568B	Band saw machine	[Not dated]
596B	Special pallets for 5cwt steam hammer	[Not dated]
570B	Alteration to 20cwtr steam hammer	17.5.1892
573B	20cwt steam hammer, diameter of cylinder 14.5inch; stroke 33inch	26.5.1892
576B	50cwt steam hammer, diameter of cylinder 18.75inch; stroke 49inch	[Not dated]
581B 582B	5cwt steam hammer	[Not dated]
584B	20cwt steam hammer, diameter of cylinder 16.5inch; stroke 24inch 40cwt steam hammer, diameter of cylinder 18inch; stroke 45inch	[Not dated] [Not dated]
585B	20cwt steam hammer, diameter of cylinder 14.5inch; stroke 33inch	[Not dated]
586B	Counter shaft for band saw machine	[Not dated]
587B	Foundation and anvil for 15cwt steam hammer	[Not dated]
589B	Counter shaft for 30inch circular saw	[Not dated]
591B	Band saw machine	[Not dated]
594B	15cwt kick stamp	[Not dated]
595B	6cwt kick stamp	[Not dated]
596B 598B	Band saw machine Foundation for band saw	[Not dated] [Not dated]
599B	Revolving tappett hammer	[Not dated]
602B	Band saw machine	[Not dated]
611B	10cwt kick stamp	[Not dated]
613B	Band saw for cutting cold iron & steel	[Not dated]
616B	Special tools for 3 cwt steam hammer	[Not dated]
622B	Hammer for blocking wire scrap	[Not dated]
623B	Lifting blocks for 30, 40, 50 & 60 cwts	2.4.1892
630B	10cwt steam hammer, diameter of cylinder 18inch; stroke 45inch	[Not dated]
631B 638B	HMS 'Defense', shewing deck on which 3cwt steam hammer is to be fitted 7 ton steam hammer, diameter of cylinder 30.5inch; stroke 6' 6inch	[Not dated] [Not dated]
641B	1.5cwt veeing hammer, diameter of cylinder 6inch; stroke 0 oinch	[Not dated]
653B	30inch circular saw	[Not dated]
654B	5cwt kick stamp	[Not dated]
655B	8cwt steam hammer, diameter of cylinder 11inch; stroke 24inch	[Not dated]
656B	8cwt steam hammer, diameter of cylinder 11inch; stroke 24inch	[Not dated]
657B	10cwt steam hammer, diameter of cylinder 13inch; stroke 27inch	[Not dated]
661B	Castings for 10cwt drop hammer for wood splitting	[Not dated]
662B	Forgings for 10cwt drop hammer for wood splitting	[Not dated]
663B 666B	Anvil block for 2cwt arch steel tilter 15 cwt crane for B&S's smithy	[Not dated] 4.10.1891
667B	1 cwt crane for B&B's smithy	5.10.1892
668B	40inch diameter hot iron saw	[Not dated]
669B	20cwt steam hammer, diameter of cylinder 14.5inch; stroke 2' 9inch	[Not dated]
672B	Counter-shaft for circular saw	[Not dated]
674B	12cwt steam hammer, diameter of cylinder 12.5inch; stroke 28inch	[Not dated]
675B	Forgings for 30inch hot iron circular saw	12.10.1892
677B 678B	Double kick stamp, 10cwt, 54inch stroke and 2cwt 60inch stroke  Details for circular saw counter shafts	[Not dated] 19.10.1892
687B	30inch circular saw for India and Burma State Railway	c1892
688B	3cwt suspended steam hammer	[Not dated]
695B	1.5cwt steam hammer	[Not dated]
703B	Frame for steam hammer showing foundations	[Not dated]
711B	1 1/2 cwt coppersmith's steam hammer, cylinder 6 1/2 inch, stroke 13 inch	7.12.1892
714B	3 tons steam hammer, cylinder 20 inches, stroke 48 inches	[Not dated]
722B	2 cwts drop stamp	[Not dated]
724B	Trimming machine, shaft 3 1/2 inch diameter, stroke 3 inch 10 cwt drop hammer for wood splitting	[Not dated]
725B 728B	1 1/2 cwts coppersmith's steam hammer, cylinder 6 1/2 inch, stroke 13 inch	20.1.1893 [Not dated]
737B	4 inch x 8 inch steam winch for pile driving	[Not dated]
743B	Supporting gear for 10 cwt drop hammer for wood splitting	[Not dated]
748B	40 cwt steam hammer, cylinder 18 inch, stroke 45 inch	[Not dated]
754B	5 cwt kick stamp, position of driving gear	[Not dated]
764B	30 cwt steam hammer, cylinder 17 inch, stroke 39 inch	[Not dated]
770B	Special foundation for 1 1/2 cwts steam hammer, Chicago Exhibition 1893	[1893]
771B	Special foundation for 3 cwt steam stamp, Chicago Exposition 1893	[1893]
772B 774B	6 cwts steam hammer, cylinder 10 inch, stroke 22 inch 6 cwt steam hammer, cylinder 9 1/2 inch, stroke 22 inch	[Not dated] [Not dated]
780B	5 cwt kick stamp	25.7.1893
782B	15 cwt self-acting drop hammer	24.5.1892
790	15 cwts hammer	29.4.1871
793B	Boiler and scrap furnaces	[Not dated]
796B	20 cwts steam hammer, cylinder 14 1/2 inch, stroke 2 foot 9 inch	19.4.1893
796	General arrangement of 20 inch stroke power hammer	[Not dated]
805B	8 cwt steam hammer, cylinder 10 inch, stroke 36 inch	[Not dated]
806B 821B	6 cwts steam hammer for steel tilting Trimming machine	[Not dated] [Not dated]
826B	8 inch cylinder pneumatic hammer	[Not dated]
848B	5 cwts steam stamp, cylinder 10 inch, stroke 21 inch	[Not dated]
855B	[Elevation of a building]	[Not dated]
860B	2 cwts steam hammer for flue welding, cylinder 6 1/2 inch, stroke 14 inch	[Not dated]
869B	Improved centering and tracing machine	[Not dated]
888B	1 1/2 cwt veeing hammer	[Not dated]
894B	Speeds for horizontal milling machine no 1071	[Not dated]
912B 916B	12 1/4 cwt steam hammer Castings for band saw machine	[Not dated] 3.10.1893
917B	1 1/2 cwts steam hammer for steel tilting	[Not dated]
936B	5 cwt friction hammer, hasse type, maximum fall 2 foot 6 inch	[Not dated]
943B	30 cwts steam hammer, self-acting	[Not dated]
946B	Head gear for 15 cwt drop hammer	8.11.1893
954B	Circular saw for cold iron	[Not dated]
956B	3/4 cwt steam hammer for shuttle-tip forging, cylinder 4 1/4 inch, stroke 9 inch	
958B	10 cwt steam stamp, cylinder 12 inch, stroke 30 inch	28.11.1913
962B	50 cwts steam hammer  2 cwt steam hammer for flue welding and flanging, cylinder 7 inch, stroke 13	[Not dated]
965B	2 cwt steam hammer for flue welding and flanging, cylinder 7 inch, stroke 13 inch	[Not dated]
969B	5 cwt drop hammer for wood splitting	20.12.1893
968B	[Steam hammer]	[Not dated]
		•

976B	5 cwt drop hammer for wood splitting	[Not dated]
973B	Forgings for 5 cwts drop hammer for wood splitting Special 4 cwt steam hammer for draw plate stamping, cylinder 8 inch, stroke	28.12.1893
977B	19 inch	10.1.1894
983B 995B	Horizontal crank press  10 cwt drop hammer for wood splitting	[Not dated] [Not dated]
1009B	15 cwt steam hammer, cylinder 13 3/8 inches, stroke 30 inches	[Not dated]
1013B	Table etc. for band saw, two wheel frame	[Not dated]
1048B 1058B	[Steam hammer] Revolving tappett hammer	[Not dated] [Not dated]
1061B	Band saw, three wheel form	[Not dated]
1075B 1102B	Wrights patent [?] Revolving tappett hammer	[Not dated] [Not dated]
1102B 1117B	Band saw, three wheel form, with self acting feed	31 July 1894
1119B	10 cwt steam hammer, with slides, arch form, usual type, wrought iron framing	
1123B 1124B	Castings for band saw, three wheel form Castings for band saw, three wheel form	[Not dated] 14.8.1894
	Drilling template for standard 3 cwt steam hammer with slides, overhanging	
1129B	form, usual Type, cast iron framing 5 cwt steam hammer, without slides, overhanging form, Rigby type, cast iron	14.8.1894
1144B	framing	[Not dated]
1147B	40 cwt steam hammer, without slides, bow form, wrought iron framing	[Not dated]
1156B 1160B	7 cwt kick stamp, 6 foot 6 inch drop Forging machine, four ram form	24.9.1894 1.10.1894
1161B	Castings for forging machine, four ram form	4.10.1894
1166B	Pair of hearths, square	[Not dated]
1174B 1178B	Band saw, 2 wheel form 1 1/2 cwt steam hammer, without slides, bow form, cast iron framing	[Not dated] [Not dated]
1179B	2 cwt steam hammer, with slides, bow form, cast iron framing	[Not dated]
1260B 1262B	Band saw, 2 wheel form Forging machine, four ram form	[Not dated] [Not dated]
1332B	20 inch diameter circular saw for cold metal	[Not dated]
1357B	1 1/2 cwt pneumatic hammer girder form	[Not dated]
1359B 1360B	Standard for 3 cwt pneumatic hammer, overhanging form 3 cwt pneumatic hammer, overhanging form	[Not dated] 11.6.1895
1362B	3 cwt steam hammer, with slides, overhanging form, usual type, cast iron	6.11.1895
10015	15 cwts steam hammer, without slides, overhanging form, improved Rigby	0.7.4005
1381B 1413B	type, cast iron framing Turning and breadth general arrangement	2.7.1895 14.9.1895
1414B	Forging machine, two ram form	13.8.1895
1415B	Spring end connecting rod for 10 cwt steam hammers, without slides, girder form, wrought iron girder	14.8.1895
1416B	Horse shoe cramp with rack and screw	15.8.1895
	Gland for 5 cwts steam hammer, without slides, overhanging form, Rigby type,	
1418B 1419B	cast iron framing 5 cwt steam stamp arch form single acting,	20.8.1895 6.5.1898
1420B	Circular saw for hot metal	24.8.1895
1421B	Band saw, three wheel form	27.8.189[?]
14226B	5 cwt steam hammer, with slides, overhanging form, slipper slide type, cast iron framing	26.7.1895
	5 cwt steam hammer, without slides, overhanging form, improved Rigby type,	
1427B	cast iron framing 5 cwt steam hammer, with slides, overhanging form, slipper slide type, cast	5.9.1895
1428B	iron framing, cylinder 8 inch, stroke 21 inch	6.9.1895
1435B	and the second s	0.5.1055
	1 cwt steam stamp pillar form	16.9.1895
1436B 1437B	15 cwts steam stamp pillar form	16.9.1895 17.9.1895
1436B 1437B 1438B		16.9.1895
1437B 1438B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under	16.9.1895 17.9.1895 17.8.1895 23.9.1895
1437B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons	16.9.1895 17.9.1895 17.8.1895
1437B 1438B 1439B 1474B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895
1437B 1438B 1439B 1474B 1492B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1895
1437B 1438B 1439B 1474B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895
1437B 1438B 1439B 1474B 1492B 1540B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1895 21.1.1896 25.1.1896
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1895 21.1.1896 25.1.1896 29.1.1896
1437B 1438B 1439B 1474B 1492B 1540B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1895 21.1.1896 25.1.1896
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1554B 1556B 1566B 1567B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 29.1.1896 30.1.1896 5.2.1896 [Not dated]
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1551B 1555B 1556B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam hammer, pillar form 3 cwt steam hammer, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1895 21.1.1896 25.1.1896 30.1.1896 5.2.1896
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1555B 1556B 1567B 1609B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1895 21.1.1896 25.1.1896 29.1.1896 5.2.1896 [Not dated] [Not dated]
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 29.1.1896 30.1.1896 [Not dated] [Not dated] [Not dated] 4.5.1896
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1555B 1556B 1567B 1609B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1895 21.1.1896 25.1.1896 29.1.1896 5.2.1896 [Not dated] [Not dated]
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1667B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, arch form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 29.1.1896 29.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 14.5.1896 16.1896 6.6.1896
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1675B 1677B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 30.1.1896 30.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 6.6.1896 [Not dated]
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1667B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, arch form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 29.1.1896 29.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 14.5.1896 16.1896 6.6.1896
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 29.1.1896 5.2.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 14.5.1896 14.5.1896 [Not dated] 1897 [Not dated]
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1566B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 29.1.1896 30.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 16.6.1896 [Not dated] 1897 [Not dated]
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of	16.9.1895 17.9.1895 17.9.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 25.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 [Not dated] 1897 [Not dated] 1897 [Not dated] 1897
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1566B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer withus slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 29.1.1896 30.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 16.6.1896 [Not dated] 1897 [Not dated]
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of	16.9.1895 17.9.1895 17.9.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 25.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 [Not dated] 1897 [Not dated] 1897 [Not dated] 1897
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form, maximum drop 5 foot, 6 inch 10 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 29.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 16.6.1896 [Not dated] 1897 [Not dated] 1897 [Not dated] 1897
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9196B 9352B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides Outline general arrangement and foundation for battery of 2x 80cwt friction	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 29.1.1896 30.1.1896 30.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 14.5.1896 [Not dated] 1897 [Not dated] 1897 [Not dated] 13.5.1908 12.3.1913 12.3.1913 14.3.1913 4.7.1913
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9196B 9352B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form, with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides 10cwt pneumatic hammer, overhanging form with slides 0utline general arrangement and foundation for battery of 2x 80cwt friction drop stamps 60cwt steam hammer, with slides, arch form and Masseys patent HW	16.9.1895 17.9.1895 17.9.1895 17.9.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 25.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 16.1896 [Not dated] 1897 [Not dated] 13.5.1908 12.3.1913 14.3.1913 4.7.1913
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9196B 9352B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides 0cuttine general arrangement and foundation for battery of 2x 80cwt friction drop stamps 60cwt steam hammer, with slides, arch form and Masseys patent HW expansion valve, diameter of cylinder 21inch; stroke 54inch	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 29.1.1896 30.1.1896 30.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 14.5.1896 [Not dated] 1897 [Not dated] 1897 [Not dated] 13.5.1908 12.3.1913 12.3.1913 14.3.1913 4.7.1913
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9196B 9352B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form, with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides 10cwt pneumatic hammer, overhanging form with slides 0utline general arrangement and foundation for battery of 2x 80cwt friction drop stamps 60cwt steam hammer, with slides, arch form and Masseys patent HW	16.9.1895 17.9.1895 17.9.1895 17.9.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 25.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 16.1896 [Not dated] 1897 [Not dated] 13.5.1908 12.3.1913 14.3.1913 4.7.1913
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9196B 9352B 9387B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 1 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides 10cwt pneumatic hammer, overhanging form with slides 0cutine general arrangement and foundation for battery of 2x 80cwt friction drop stamps 60cwt steam hammer, with slides, arch form and Masseys patent HW expansion valve, diameter of cylinder 21inch; stroke 54inch Forgings for 7&8 cwt steam hammer with slides, overhanging form ,usual type, cast iron frame 0.5cwt pneumatic hammer founda	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 29.1.1896 30.1.1896 30.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 16.6.1896 [Not dated] 1897 [Not dated] 13.5.1908 12.3.1913 12.3.1913 12.3.1913 22.7.1913
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9352B 9387B 9391B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer withus slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides Outline general arrangement and foundation for battery of 2x 80cwt friction drop stamps 60cwt steam hammer, with slides, arch form and Masseys patent HW expansion valve, diameter of cylinder 21inch; stroke 54inch Forgings for 7&8 cwt steam hammer wi	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 29.1.1896 30.1.1896 30.1.1896 30.1.1896 10.1891 10.1895 10.1895 1
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9352B 9387B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides 10cwt pneumatic hammer, overhanging form with slides Outline general arrangement and foundation for battery of 2x 80cwt friction drop stamps 60cwt steam hammer, with slides, arch form and Masseys patent HW expansion valve, diameter of cylinder 21tinch; stroke 54inch Forgings for 7&8 cwt steam hammer with slides, overhanging form ,usual type, cast iron frame 0.5cwt pneumatic hammer found	16.9.1895 17.9.1895 17.9.1895 17.9.1895 23.9.1895 17.9.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 25.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 (Not dated] 14.5.1896 16.1896 [Not dated] 1897 [Not dated] 13.5.1908 12.3.1913 12.3.1913 22.7.1913 24.7.1913
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1556B 1567B 1609B 1613B 1632B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9352B 9387B 9391B 9392B 9394B 9394B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, without sides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides 10cwt pneumatic hammer, overhanging form with slides 0cwt steam hammer, with slides, arch form and Masseys patent HW expansion valve, diameter of cylinder 21inch; stroke 54inch Forgings for 7&8 cwt steam hammer with slides, overhanging form ,usual type, cast iron frame 0.5cwt pneumatic hammer, foundation for	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 25.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 15.6.1896 16.1896 17.5.1908 17.5.1
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1554B 1555B 1556B 1567B 1609B 1613B 1632B 1644B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9196B 9352B 9387B 9391B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides Steam hammer without slides, Rigby type, cast iron framing, diameter of cylinder 14inch; stroke 30inch Stop valve for 5, 7, 8cwt compressed air hammer, overhanging form, with slides 10cwt pneumatic hammer, overhanging form with slides Outline general arrangement and foundation for battery of 2x 80cwt friction drop stamps 60cwt steam hammer, with slides, arch form and Masseys patent HW expansion valve, diameter of cylinder 21tinch; stroke 54inch Forgings for 7&8 cwt steam hammer with slides, overhanging form ,usual type, cast iron frame 0.5cwt pneumatic hammer found	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 29.1.1896 30.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 16.6.1896 [Not dated] 1897 [Not dated] 13.5.1908 12.3.1913 12.3.1913 12.3.1913 24.7.1913 24.7.1913 28.7.1913 24.7.1913
1437B 1438B 1439B 1474B 1492B 1540B 1551B 1555B 1556B 1567B 1609B 1613B 1632B 1667B 1677B 2265B 6771B 6816B 1-7 9193B 9194B 9352B 9387B 9391B 9392B 9394B 9394B	15 cwts steam stamp pillar form 2 cwts steam hammer, pillar form 3 cwt steam stamp, pillar form, cylinder 9 inch, stroke 17 inch Turton and Platts patent double section spring, to deflect 4 1/4 inches under load of 10 tons 10 cwts steam hammer, without slides, overhanging form, Rigby type, wrought iron framing Proposed new smithy and testing shop Clutch etc. for band saw, three wheel form 10 cwt steam hammer, with slides, overhanging form, Enfield type, cast iron framing 20 cwts steam hammer, with slides, arch form, usual type, wrought iron 10 cwt steam hammer with slides, girder form, wrought iron girder Head gear and tup for 7 cwt board drop hammer, arch form 1 cwt steam stamp, arch form 4 tons steam hammer, with slides, girder form, wrought iron girder 50 cwts steam hammer, with slides, girder form, wrought iron girder, cylinders 18 3/4 inch, stroke 49 inch 30 inch circular saw for hot metal 15 cwt board drop hammer arch form. maximum drop 5 foot, 6 inch 10 cwts board drop hammer arch form, maximum drop 4 foot 6 inch 30 cwt steam hammer, with slides, arch form, usual type, wrought iron framing 10 cwt board drop hammer, overhanging form, maximum drop 6 foot Plans of the offices of B&S Massey Marteau pilon pneumatique de 500kgs, commande pour moteur electrique, modele surplombant [folder of] diametergrams for helical control valve for steam hammer Stop valve for 12cwt compressed air hammer, overhanging form with slides 10cwt pneumatic hammer, overhanging form with slides Outline general arrangement and foundation for battery of 2x 80cwt friction drop stamps 60cwt steam hammer, with slides, arch form and Masseys patent HW expansion valve, diameter of cylinder 21 inch; stroke 54inch Forgings for 7&8 cwt steam hammer with slides, overhanging form ,usual type, cast iron frame 0.5cwt pneumatic hammer foundation for direct motor drive by belt 7cwt steam hammer, overhanging form with slides, Massey's patent SA & HW expansion gear, stroke 24inch No 4 oil furnace, 30 x 22inch hearth, special for B&S Massey's testing sh	16.9.1895 17.9.1895 17.8.1895 23.9.1895 17.9.1895 31.10.1895 31.10.1895 18.11.1896 25.1.1896 25.1.1896 25.1.1896 [Not dated] [Not dated] [Not dated] [Not dated] [Not dated] 4.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 14.5.1896 15.6.1896 16.1896 17.5.1908 17.5.1

50 cwts stea [None]

	Arrangement of lifter & hold up gear for 8cwt friction drop stamp (14cwt, 8cwt,	
9587B	4cwt conversion)	9.12.1913
9588B	7cwt friction stamp (self-contained) self-acting and hand-working, arrangement of automatic and hold-up gear	4.2.1914
9592B	Lifter arm fitted with hold-up ring &c for 7cwt self-contained, self-acting, friction drop stamp	9.12.1913
9392B	7cwt hammer ( for air driving at 90cwtpsi) Rigby type, CJ framing, HW	9.12.1913
9610B	expansion, cylinder diameter 11inch, stroke 26inch 7cwt friction stamp (self-contained), self-acting and handworked,	15.12.1913
9611B	arrangement of shafting and headgear	4.2.1914
9612B	40cwt and 20cwt friction drop stamp battery, General arrangement and foundation	30.12.1913
9625B	Foundation for 25cwt steam hammer with slides, arch form 4 tons steam hammer with Massey's patent expansion valve gear, cylinder	24.1.1914
9626B	24.5inch diameter, stroke 4'.	15.1.1914
9629B	25cwt steam hammer, arch form, CJ frame, SA & HW for steel tilting, cylinder diameter 15.75inch; stroke 36inch	16.1.1014
9631B	3cwt experimental friction lifter, general arrangement of headgear	16.1.1914 27.1.1914
9632B 9635B	3cwt experimental friction lifter, details Top girders for 15 and 30cwt friction drop stamp	26.1.1914 20.1.1914
	Standards for 7cwt self-contained, friction drop stamp (arranged for self-act	
9636B	gear) 15cwt pneumatic hammer, overhanging form, open standards, cylinder	20.1.1914
9640B	diameter 18inch, stoke 22inch	22.1.1914
9642B	25cwt steam hammer, arch form, CJ frame, SA & HW for steel tilting 25cwt steam hammer, arch form, CJ frame, SA & HW for steel tilting, valve &	23.1.1914
9649B	chest	29.1.1914
9650B 9657B	Steel plate standards 3.5.cwt spring power hammer arranged to take bow spring	7.3.1914 7.2.1915
	5cwt steam hammer, Rigby type, cast iron framing with Masseys patent hand-	
9665B	work expansion gear 16cwt steam hammer, arch form, Masseys patent expansion gear, cylinder	11.2.1914
9668B	diameter 21inch, stroke 54inch	13.2.1914
9671B	7cwt friction drop stamp (self-contained) self-acting and handworked with holdup gear GENERAL ARRANGEMENT	17.2.1914
9674B	Girder for steam hammer, girder form 7cwt friction drop stamp (self-contained) self-acting and handworked with	16.2.1914
9676B	holdup gear	27.2.1914
9680B	Electric-driven pneumatic power hammer. Sole makers RG Ross & Son, Greenhead Engine Works, Glasgow	20.2.1914
	15cwt overhanging hammer with slides, usual type, patent hand-worked	
9682B 9684B	expansion gear Friction lifter for 3cwt drop stamp	22.4.1914 25.2.1914
	1cwt pneumatic hammer for tyre fastening overhanging form, cast iron	
9708B	framing, stroke 8inch for wheels 3' max and 2'min diameter where hammered Forgings for 50cwt steam hammer, arch form, Masseys patent HW expansion	12.3.1914
9709B	valve	13.3.1914
9711B	Masseys patent hand-worked expansion gear adapted to 7.5cwt Rigby steam hammer	16.3.1914
9714B	5 ton steam hammer, girder form, fitted with Massey's patent hand-worked expansion valve gear, cylinder diameter 2' 3.5inch, stroke 5' 6inch	17.3.1914
97 140	15 tons steam hammer arch form fitted with Massey's patent handworked	
9724B 9732B	expansion valve, Cylinder diametermeter 3 foot 3 inch, stroke 8 foot 2 cwt pneumatic hammer speed regulating gear operated from foot lever	21.3.1914 26.3.1914
	4cwt steam hammer overhanging form, fitted with Massey's patent s.a. and	
9733B	hand worked, expansion valve gear, cylinder 8 inch, stroke 19 inch 50 cwt steam hammer, arch form, with slides, cast iron framing, with Massey's	26.3.1914
9742B	patent handworked expansion valve gear, cylinders 19 1/2 inch, stroke 49 inch	2.4.1914
9746B	50cwt steam hammer, arch form with slides, cast iron framing, with Massey's patent handworked expansion valve gear, cylinders 19 1/2 inch, stroke 49 inch	2.4.1914
	7 cwt hammer (for driving at 80 lbs. per square inch press) Rigby type, cast	
9747B	iron framing, Massey's patent H.W expansion valve, cylinder 11 inch, stroke 26 inch	7.4.1914
0740P	7 cwt steam hammer without slides, overhanging form, Massey's patent expansion gear, cylinder 12 1/2 inch, stoke 26 inch	0.4.1014
9749B	5 cwt steam hammer, Rigby type, cast iron framing, Massey's patent hand	9.4.1914
9753B 9932B	worked. expansion gear, cylinder 11 inch, stroke 24 inch Tyre fixing hammer, Massey's patent, 2 foot 6inch to 7 foot wheels	9.4.1914 14.7.1914
9938B	Arrangement of 30 cwt, 15 cwt and 20 cwt friction drop stamps (conversion)	20.7.1914
9947B	10 cwt pneumatic hammer, overhung form with slides	23.7.1914
9949B 9951B	5cwt pneumatic hammer, overhanging form with slides Smithy hearth	27.7.1914 25.7.1914
	10 cwt pneumatic hammers, single blow type, arrangement and details of	
9964B	reservoir control 30 cwt steam hammer Rigby type, cast iron frame, Massey's patent expansion	3.8.1914
9977B	valve, cylinder 20 1/2 inch, stroke 45 inch	[Not dated]
	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged	
9977B 9978B 9990B	valve, cylinder 20 1/2 inch, stroke 45 inch	[Not dated] 7.8.1914 1.9.1914
9978B 9990B 10005B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps	7.8.1914 1.9.1914 3.9.1914
9978B 9990B 10005B 10006B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent	7.8.1914 7.9.1914 3.9.1914 3.9.1914
9978B 9990B 10005B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement	7.8.1914 1.9.1914 3.9.1914
9978B 9990B 10005B 10006B 10007B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914
9978B 9990B 10005B 10006B 10007B 10016B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D.	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914
9978B 9990B 10005B 10006B 10007B 10016B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914
9978B 9990B 10005B 10006B 10007B 10016B 10019B 10020B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D. 1 cwt pneumatic hammer for tyre fastening, range of wheels 2 foot 6 inch to 7 foot 6 inch 7 cwt friction drop stamp (self-contained) with hold-up gear, general	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914 [Not dated]
9978B 9990B 10005B 10006B 10007B 10016B 10019B 10020B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D. 1 cwt pneumatic hammer for tyre fastening, range of wheels 2 foot 6 inch to 7 foot 6 inch	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914 [Not dated]
9978B 9990B 10005B 10006B 10007B 10016B 10019B 10020B 10022B 10979B 10988B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D. 1 cwt pneumatic hammer for tyre fastening, range of wheels 2 foot 6 inch to 7 foot 6 inch 7 cwt friction drop stamp (self-contained) with hold-up gear, general arrangement General arrangement of size 5 machine Arrangement of motor drive with extended baseplate for 10 cwt pneumatic	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914 [Not dated] 18.9.1914 13.12.1915 14.4.1916
9978B 9990B 10005B 10006B 10007B 10016B 10019B 10020B 10022B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D. 1 cwt pneumatic hammer for tyre fastening, range of wheels 2 foot 6 inch to 7 foot 6 inch 7 cwt friction drop stamp (self-contained) with hold-up gear, general arrangement General arrangement of size 5 machine Arrangement of motor drive with extended baseplate for 10 cwt pneumatic hammer General arrangement of swaging machine (experimental F.25)	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914 [Not dated] 18.9.1914 13.12.1915
9978B 9990B 10005B 10006B 10007B 10016B 10019B 10020B 10022B 10922B 10979B 10988B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D. 1 cwt pneumatic hammer for tyre fastening, range of wheels 2 foot 6 inch to 7 foot 6 inch 7 cwt friction drop stamp (self-contained) with hold-up gear, general arrangement General arrangement of size 5 machine Arrangement of motor drive with extended baseplate for 10 cwt pneumatic hammer General arrangement of swaging machine (experimental F.25) General arrangement and foundation for battery of 10 cwt 10 cwt 10 cwt	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914 [Not dated] 18.9.1914 13.12.1915 14.4.1916 5.1.1916 20.1.1916
9978B 9990B 10005B 10006B 10007B 10016B 10019B 10020B 10022B 10979B 10988B 10994B 10999B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D. 1 cwt pneumatic hammer for tyre fastening, range of wheels 2 foot 6 inch to 7 foot 6 inch 7 cwt friction drop stamp (self-contained) with hold-up gear, general arrangement General arrangement of size 5 machine Arrangement of motor drive with extended baseplate for 10 cwt pneumatic hammer General arrangement and foundation for battery of 10 cwt 10 cwt friction drop stamps General arrangement and foundation for battery of 20 cwt 20 cwt friction drop	7.8.1914 7.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914 [Not dated] 18.9.1914 13.12.1915 14.4.1916 5.1.1916 20.1.1916
9978B 9990B 10005B 10006B 10007B 10016B 10019B 10020B 10022B 10922B 10979B 10988B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D. 1 cwt pneumatic hammer for tyre fastening, range of wheels 2 foot 6 inch to 7 foot 6 inch 7 cwt friction drop stamp (self-contained) with hold-up gear, general arrangement General arrangement of size 5 machine Arrangement of motor drive with extended baseplate for 10 cwt pneumatic hammer General arrangement of swaging machine (experimental F.25) General arrangement and foundation for battery of 10 cwt 10 cwt 10 cwt friction drop stamps	7.8.1914 1.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914 [Not dated] 18.9.1914 13.12.1915 14.4.1916 5.1.1916 20.1.1916
9978B 9990B 10005B 10006B 10007B 10016B 10019B 10020B 10022B 10979B 10988B 10994B 10999B	valve, cylinder 20 1/2 inch, stroke 45 inch 7 cwt steam hammer, Massey's patent hand worked expansion gear, arranged for branding tyres Marteau-pilon a vapeur de 3000 kgs de masse tombante Battery of 10 cwt 10 cwt 10 cwt friction drop stamps 3 cwt compressed air hammer, Massey's patent Swaging machine, details of main cast iron frame 5 cwt compressed air hammer int. guide type, general arrangement 7 cwt steam hammer overhanging form, with slides (tyre branding) fitted with Massey's patent hand worked expansion gear 1912 type Brett's patent, no 6 standard duplex power press, style A.D. 1 cwt pneumatic hammer for tyre fastening, range of wheels 2 foot 6 inch to 7 foot 6 inch 7 cwt friction drop stamp (self-contained) with hold-up gear, general arrangement General arrangement of size 5 machine Arrangement of motor drive with extended baseplate for 10 cwt pneumatic hammer General arrangement of swaging machine (experimental F.25) General arrangement and foundation for battery of 10 cwt 10 cwt friction drop stamps General arrangement and foundation for battery of 20 cwt 20 cwt friction drop stamps	7.8.1914 7.9.1914 3.9.1914 3.9.1914 3.9.1914 11.12.1914 23.9.1914 [Not dated] 18.9.1914 13.12.1915 14.4.1916 5.1.1916 20.1.1916

	10 cwt steam hammer with slides arch form, quick running type, steel tilting,	
11071B	cast iron frame, cylinder 12 inch, stroke 20 inch	7.3.1916
1107ED	General arrangement of 6 cwt 2 cwt 2 cwt 8 cwt kick stamp battery (The Deritend Stamping Co Ltd)	17.4.4046
11075B 11076B	General arrangement of 25 cwt 10 cwt 15 cwt friction drop stamps	17.4.1916 24.2.1916
11078B	General arrangement 40 cwt friction drop stamp	10.6.1918
11085B	Number 10 upright trimming press	25.2.1916
11086B	Proposed arrangement of 6 cwt and 8 cwt drop stamps	26.2.1916
11088B	6 cwt and 8 cwt lifters (kick stamp conversion0, General arrangement of parts	
11090B	Number 6 duplex trimming press, style A.D.	4.3.1916
13183B	General arrangement friction drop stamp, self contained; self acting & handworked	9.3.1920
13207B	General arrangement of friction clutch for 7cwt pneumatic hammer	26.4.1920
132016	25cwt steam hammer with slides, overhanging form, usual type, cast iron	20.4. 1020
13219B	framing, fitted with Massey's patent expansion gear	3.10.1950
13230B	25cwt steam drop hammer, arch form, cs framing, loose adjustable slides	4.1.51
	Folder of drawings and plans for Massey's exhibits at the Olympia Exhibitions	
13244B	in 1920 and 1934	
13258B	5cwt pneumatic power hammer fitted with F&A Parkinson Ltd motor	6.12.1950
13261B 13268B	61/2"dia expansion valve development of valve and tube 5 tons steam hammer, arch form, cast iron frame, patent expansion valve	21.2.1950 27.4.1920
13273B	50cwt drop stamp CI frame, loose adjustable slides	10.11.1920
13274B	cylinder for 10cwt steam hammer	27.10.1950
13275B	20cwt steam hammer, arch form, steel tilting	7.2.1921
13276B	10 cwt steam hammer with slides, arch form, quick running type	29.1.1921
13277B	3cwt steam hammer with slides, arch form, quick running type	17.1.1921
100700	25cwt steam hammer O'H'G form with slides, usual type CI framing revised	40.0.4000
13279B 13288B	(1920) design	19.6.1920 17.5.1920
13297B	15cwt friction drop stamp, battery form, general arrangement and foundation 60 cwt steam hammer, arch form	1.6.1920
1329715	Proposed arrangement of 7-5-7-7-5-7cwts friction stamp battery to existing	1.0.1920
13308B	structural work Messrs Harper Sons & Bean Ltd	9.12.1920
	standard for 5 cwt steam hammer with slides, arch form, quick running type,	
13316B	cast iron framing	19.7.1921
	cylinder for 5cwt steam hammer with slides, arch form, quick running type,	
13317B	cast iron frame	23.2.1921
13318B	forgings for 5cwt steam hammer with slides, arch form	21.2.1921 23.6.1920
13319B	5 cwt steam hammer with slides, arch form 5cwt steam hammer with slides, arch form, cast iron framing, quick running	23.0.1920
13320B	type	19.6.1920
100202	general arrangement 20cwt steam hammer with slides, arch form, cast iron	101011020
13324B	framing	4.6.1920
	20cwt steam hammer, overhanging form, 1920 design, cast iron framing,	
13325B	adjustable slides, Massey's patent handworked expansion valve	21.12.1950
13350B	foundation for 20 cwt steam hammer with slides O'H'G form, cast iron framing	
13355B	20cwt steam hammer, arch form, CI frame for steel tilting 10cwt Enfield steam hammer, cast iron framing, HW expansion, adjustable	2.7.1920
13362B	slides, general arrangement	12.8.1920
13363B	10cwt Enfield steam hammer foundation	17.8.1920
13364B	10cwt Enfield steam hammer standards & castings	8.4.1921
13365B	10cwt Enfield steam hammer forgings	2.8.1920
13366B	10cwt Enfield steam hammer baseplate & anvil block	4.8.1920
13367B	10cwt Enfield steam hammer cylinder	19.7.1920
13369B	60cwt steam stamp, arch form with adjustable slides	1.7.1920
13382B	friction clutch hinged segment relay type	1.12.1950
13402B 13413B	30cwt arch form steam stamp 5cwt pneumatic hammer, overhanging form	17.8.1920 26.7.1920
13447B	lifting belt for 30cwt friction drop stamp	4.10.1920
13455B	30cwt arch form steam stamp	2.9.1920
	instructions for erecting & working Massey's patent self acting friction drop	
13466B	stamps, self contained form	15.9.1920
13570B	tender drawings - Union of South Africa sent Dec 18th 1920	18.12.1920 contains 9 blue prints
13572B	40 cwt steam hammer without slides, bow form	29.12.1920
13663B	5cwt pneumatic hammer, overhanging form, Massey's patent 50cwt steam hammer "A" form HW exp special hammer with arrangement for	3.3.1921
13715B	making general arrangements cylinders	20.4.1921
13720B	5cwt centring hammer for billets	26.4.1921
13775B	30cwt arch form steam stamp	2.6.1921
13788B	1 cwt spring power hammer, overhanging form, with horl. helical spring	20.5.1925
13795B	25cwt steam hammer Rigby type HWexp general arrangement	23.9.1926
100000	4cwt overhanging steam hammer HW & SA exp 1920 design, general	0.4.4004
13822B	arrangement	2.4.1924
13843B 13850B	10cwt jib crane 12'0" radius, general arrangement general arrangement of experimental gear for no. 6 style "0" trimming press	27.8.1921 4.11.1921
130300	arrangement of valve motion gear etc for experimental gear for no 6 style "0"	4.11.1921
13851B	trimming press	11.10.1921
13852B	castings for experimental gear for no 6 style "0" trimming press	26.9.1921
13853B	forgings no 1 for experimental gear for no 6 style "0" trimming press	29.8.1921
13854B	forgings no 2 for experimental gear for no 6 style "0" trimming press	3.9.1921
40055D	forgings no 3 made from bar for experimental gear for no 6 style "0" trimming	00.0.4004
13855B	press	30.8.1921
13856B	forgings no 4 for experimental gear for no 6 style "0" trimming press general arrangement of 2 cwt pneumatic hammer, suspended form for flue	5.10.1921
13869B	welding	10.10.1921
13871B	no 1 hydraulic rolls for railway tyres 2'3" to 4'6"	22.10.1921
	general arrangement of 1 cwt pneumatic hammer, suspended form for flue	
13873B	welding	19.10.1921
13887B	1/2cwt - 7cwt pneumatic hammer (1921 design)	general arrangement of floating lever v 8.12.1942
13929B	no 2 hydraulic type rolls for railway tyres general arrangement and foundation	9.1.1922
13931B	hydraulic rolls for railway tyres, bedplate	18.1.1922
13932B	hydraulic rolls for railway tyres, castings - front and back housings	23.1.1922
13933B 13934B	hydraulic type rolls castings bedplate arms etc hydraulic rolls for railway tyres arrangement of arms etc	30.1.1922 14.2.1922
13934B 13936B	5 inch recessing hammer	no date
13961B	tyre fixing rolls general arrangement and foundation	24.2.1922
<del>-</del>	arrangement for making general arrangements cylinders 10cwt pneumatic	
13967B	hammer, overhanging form, open standards	27.2.1922
	1cwt pneumatic hammer for tyre fastening	24.3.1922
13998B		
14014B	tyre fixing rolls (belt driven)	31.10.1922
		31.10.1922 27.4.1922 27.7.1922

14063B	trimming press	20.7.1922	
4.40.40D	experimental gear 100 tons forging machine, sectional arrangement of motion	00.0.4000	
14340B	works etc.  16wt-7cwt-16cwt friction drop stamp battery general arrangement and	28.3.1923	
14377B	foundation	23.3.1923	
14378B	7cwt overhanging steam hammer (1921 design) general arrangement	26.3.1923	
14481B 14501B	10cwt arch form pneumatic stamp	8.10.1923	
14501B 14512B	no 1 tyre fixing rolls  1 cwt pneumatic hammer for tyre fastening	22.6.1923 5.7.1923	
14514B	general arrangement 60 lbs. spring power hammer	6.9.1923	
14531B	general arrangement and foundation tyre fixing rolls no 2	26.7.1923	
16284B	5 cwt pneumatic hammer motor driven	8.5.1928	
47077D	40 cwt self contained friction drop stamp self acting general arrangement and	7.4.4020	
17877B 18690B	foundation 10 cwt hammer without slides overhanging form, Rigby type, CI frame	7.4.1932 13.2.1935	
18692B	5 cwt friction drop stamp self contained form fitted with simplex self act gear	24.12.1934	
18761B	1 cwt pneumatic hammer motor & short belt drive	4.2.1935	
18762B	1/2 cwt pneumatic hammer, motor belt driven	4.2.1935	
18845B	20cwt self contained friction drop stamp anvil block	26.4.1935	
18846B 18847B	20 cwt self contained friction stamp standards 20 cwt S. Cox friction drop stamp top girders & drilling plan	18.4.1935 7.8.1935	
1004715	20 cwt self contained friction stamp fitted with simplex self acting gear, general		
18849B	arrangement	9.5.1935	
18450	600 tons trimming machine type HLT	18.10.1934	
10070D	5 ton air hammer for smithery, general arrangement, HM naval Base,	21 10 1026	
18978B	Singapore 7 cwt & 8cwt friction drop stamp, self contained form, fitted with simplex self	31.10.1936	
18987B	act gear	5.10.1935	
19274B	15 cwt Rigby type hammer SA & HW general arrangement	1.5.1936	Buenos Ayres Great Southern Railway Co
19367B	5 cwt friction drop stamp self contained form, fitted with simplex self act gear	25.8.1938	
19368B	90 tons trimming press tie bolt type general arrangement and foundation	223.9.1936	
19394B 19440B	oil furnace-hearth general arrangement  60 tons trimming press, general arrangement & foundation	19.8.1936 23.9.1936	
19441B	120 tons trimming press, general arrangement & foundation	23.9.1936	
11093B	general arrangement of battery of 3 12 1/2 cwt steam drop stamps	25.3.1916	
11140B	arrangement of single smith's hearth	14.4.1916	
11462B	1 cwt pneumatic hammer (Massey's patent), motor belt driven	31.10.1916	
12622B	60 cwt steam hammer with slides "A" form cast iron framing	28.9.1950	
12632B 12638B	14 lbs. power oliver, general arrangement	31.1.1919	
12671B	10 cwt pneumatic hammer. general arrangement and details of gear guards standards for 5 cwt steam hr. O'H'G form multiple type	3.3.1919 21.12.1920	
12673B	60 cwt steam hammer 'A' form HW exp	26.4.1919	
	7 tons steam hammer, arch form, cs framing, adjustable slides, Massey's		
12710B	patent expansion valve, general arrangement	9.9.1949	
	3 cwt experimental HW pneumatic hammer, arrangement. of cylinders,		
12711B 12712B	forgings, pining etc 3 cwt experimental HW pneumatic hammer, general arrangement	10.12.1920 18.12.1920	
12731B	60 cwt steam hammer 'A' form HWexp	16.4.1919	
	outline arrangement battery of 11 steam drop stamps for Messrs the Austin		
12741B	Motor Co Ltd, Birmingham	1.4.1919	
12743B	1 cwt steam hammer (OHG form) for tyre fastening	15.10.1919	
12805B 12815B	5 cwt steam hammer with slides OHG form multiple type, cast iron framing 3 cwt pneumatic hammer motor belt driven	15.5.1919	
12829B	general arrangement of 25 cwt steam hammer	18.6.1919 1.7.1919	
120200	7 cwt friction drop stamp, self contained self acting and handworked general	1.7.1010	
12836B	arrangement	5.12.1919	
40007D	7 cwt friction drop stamp self contained self acting and handworked	45.40.4040	
12837B	arrangement f shafting headgear 7 cwt SA friction drop stamp, self contained form general arrangement of self	15.12.1919	
12838B	act gear	6.10.1919	
12851B	[drawings of types of hammer and fittings, no title]	no date	
12852B	[drawings of types of blocks and castings, no title]	no date	
	10 cwt steam hammer (1919 design) overhanging form, cast iron framing,		
12869B 12882B	adjustable slides	28.2.1920	
12899B	1cwt pneumatic hammer overhanging form 5 cwt pneumatic hammer overhanging form, Massey's patent	11.8.1919 29.7.1919	
12922B	30 cwt steam drop hammer arch form CS framing lose adjustable slides	29.11.1949	
12940B	7 cwt pneumatic power hammer	no date	
12990B	proposed general arrangement of stamping shop	no date	
13105B	80 cwt steam stamp general arrangement	8.1.1920	
13107B 13116B	10 cwt FD stamp comp. air hold up gear (no2), general arrangement 5 cwt drop stamp with simplified lifter	1.3.1920 14.1.1920	
13110B 13127B	80 cwt friction drop stamp general arrangement and foundation	25.2.1920	
	general arrangement of self acting gear 10 cwt to 15 cwt SA friction drop		
13134B	stamp self contained form	19.2.1920	
13178B	arrangement of levers for self acting gear for 15 cwt friction drop stamp, self contained form	28 2 1020	
13178B 13179B	general arrangement of 16cwt-60cwt-8cwt friction drop stamp battery	28.2.1920 8.3.1920	
20019S	Arrangement of air operated friction clutch fitted with diaphragm seal	26.7.1946	
20053S	20cwt guided ram stamps valve chest joint	17.8.1946	
20054S	Clearspace pneumatic hammers chain wheel tooth cutting dimensions	20.9.1946	on same drawing as above
20055S	60 tons SF trimming press arrangement of clutch and shear pins	20.8.1946	
20114S	60 lbs. bow spring hammer spring	15.11.1946	
20123S 20124S	smithy tools tongs for holding square and round bars smithy tools circular tongs for holding punches, mandrils etc	22.5.1947 22.5.1947	
201243 20166S	20 cwt clear space pneumatic hammer, des. CS31, lower portion of anvil block		
20219S	20 cwt and 25 cwt friction drop stamps wearing strips	3.4.1947	
20222S	7 cwt with slides pneumatic hammer, arrangement of stuffing box	13.11.1946	
20262S	friction drop stamps for sheet metal principal dimensions	29.10.1946	
20453S	100 cwt spring hammer overhanging form foundation	23.12.1946	
20508S 20535S	control gear for high speed forging press smithy tools flat tongs	16.1.1947 21.5.1947	
20598S	[diagram of cylinder]	no date	the national Machinery Co, Tiffin, Ohio
20599S	[diagram no info]	no date	the national Machinery Co, Tiffin, Ohio
20600S	[diagram no info]	no date	the national Machinery Co, Tiffin, Ohio
20601S	[diagram no info]	no date	the national Machinery Co, Tiffin, Ohio
20602S 20603S	[diagram no info] [diagram no info]	no date no date	the national Machinery Co, Tiffin, Ohio the national Machinery Co, Tiffin, Ohio
20604S	[diagram no info]	no date	the national Machinery Co, Tiffin, Ohio
20605S	[diagram no info]	no date	the national Machinery Co, Tiffin, Ohio

arrangement of valve motion gear etc for experimental gear no 6 "0" style

20606S	[diagram no info]	no date	the n
20607S	[diagram no info]	no date	the n
20657S 20658S	trimming presses brake band 120 tons SF trimming press plate retaining-SS tool	7.1.1948 7.5.1948	on sa
20687S	200 ton and 300 ton trimming press plate retaining 33 tool  200 ton and 300 ton trimming presses TB type ring clutch ventilating	20.10.1947	011 30
20688S	standard "texrope" drives for pneumatic hammers	20.3.1947	
20700S	7 cwt clear space pneumatic hammer arrangement of balance weights	27.6.1947	
20701S	7 cwt clear space pneumatic hammer balance weights	31.7.1947	
20703S	7 cwt clear space pneumatic hammer fabricated spur wheel	1.12.1947	
20704S 20706S	300 tons trimming press tie bolt type spur wheel 300 tons trimming press tie bolt type bed	19.6.1947 28.5.1947	
20715S	320 tons friction screw press main flywheel	19.5.1947	
20716S	320 tons friction screw press friction disc	19.5.1947	
20717S	320 tons friction screw press main screw and nut	19.5.1947	
20753S	5cwt to 8 tons friction drop stamps battery form particulars of texrope drives	14.4.1947	
20737S	15cwt clear space pneumatic hammer arrangement of balance weights	18.7.1947	
20818S 20830S	assembly of cam operated switch [ drawing no information no 18228]	15.7.1948 9.5.1947	
20849S	40 cwt clear space pneumatic hammer arrangement of balance weights	4.7.1947	
20909S	120 ton and 200 ton trimming press TB type control panel	18.6.1947	
20922S	trimming press tie bolt type assembly of control panel	27.6.1947	
	pneumatic hammers (with slides type) (1921 and 1926 designs) control valve		
21645S	assembly dimensions	12.4.1948	
21653S	pneumatic hammers (clear space ram type) control valve assembly dimensions	21.4.1948	
210333	pneumatic hammers (with slides type) (1921 and 1926 designs) control valve	21.4.1940	
21709S	assembly dimensions	4.5.1948	
	pneumatic hammers (clear space ram type) control valve assembly		
21710S	dimensions	4.5.1948	
22106S	forging press control gear	14.10.1948	
23057S	forging press control gear	29.9.1949	
24803S 24970S	trimming presses standard texrope drives self contained stamps standard texrope drives	22.5.1951 22.8.1951	
25244S	friction drop stamps for sheet metal principal dimensions	14.1.1952	
21327B	mouton a friction de huit tonnes vue d'ensemble	3.5.1940	
21332B	30 cwt arch hammer cast frame general arrangement	9.5.1940	trans
21338B	pilon de 50 kgs vue d'ensemble et fondation	4.5.1940	
21367B	600 ton press	no date	origir
21368B	600 tons trimming machine overhanging type	23.12.1938	
21388B 21410B	12 cwt - 5 cwt - 6 cwt - 15 cwt friction drop stamp battery general arrangement 40 cwt pneumatic hammer des. A25 general arrangement	no date	
214100	15 cwt self contained friction drop stamp fitted with simplex self act gear	no date	
21411B	general arrangement	12.6.1940	
21432B	320 tons trimming press solid frame type general arrangement & foundation	16.10.1939	
21435B	60 tons trimming press general arrangement & foundation	26.10.1939	
21440B	7 cwt arch form steam hammer, standards, loose slides and bush	26.8.1940	
21445B 21450B	7 cwt steam hammer arch form steel tilter general arrangement 550 tons trimming press. Tie bolt type. General arrangement	17.7.1940 13.7.1940	
21430D	Retaining ring bending machine horizontal type motor driven. General	13.7.1340	
21453B	arrangement and foundation	16.1.1942	
21467B	3 cwt guide ram clear space pneumatic hammer general arrangement	26.2.1941	
21469B	Double ram comp. air hammer for bottle forging. General arrangement	16.7.1940	
21472B	3 cwt bottle forging hammer and feed carriage. General arrangement	22.7.1940	
21500B 21503B	10 cwt clear space pneumatic machine. Cross sectional views 25 cwt - 25 cwt friction drop stamp battery. General arrangement	7.8.1940 19.10.1940	
21510B	12/18 tons friction drop stamp hammer J.6339. General arrangement	15.8.1940	
21521B	Arrangement of proposed 20 cwt duplex stamp	27.8.1940	
21530B	20 cwt - 15 cwt friction stamp battery shafting & water circulation	23.10.1940	
	3 cwt hammer overhanging form S.A. expn. valve. General arrangement &		
21544B	foundation	5.10.1940	
21545B	4 cwt hammer, overhanging form S.A. expn. valve. General arrangement & foundation	4.10.1940	
21555B	20 cwt - 15 cwt friction drop stamp battery. General arrangement	16.10.1940	
21560B	Arrangement of proposed 10 tons duplex stamp	1.10.1940	
21569B	20 cwt arch form steam hammer. General arrangement	2.7.1940	
21580B	Suspended duplex stamp lifting cylinders	14.11.1940	
045000	7 cwt friction drop stamp self contained form fitted with simplex self act gear.	44404040	
21582B 21588B	General arrangement 7 cwt guided ram clear space pneumatic hammer. General arrangement	14.10.1940 31.3.1941	
21597B	50 cwt friction drop stamp. General arrangement & foundation	2.11.1940	
21600B	60 cwt friction drop stamp. General arrangement	15.10.1940	
21664B	15 cwt friction drop stamp self contained form. General arrangement	9.12.1940	
21670B	No. 4 bar heating coke furnace. General arrangement	11.12.1940	
21680B	5 cwt C.S> pneumatic hammer (for stamping). General arrangement	23.12.1940	
21688B	10 cwt clear space pneumatic hammer (for stamping). General arrangement	1.3.1941	
21712B 21731B	65 lbs. bow spring hammer. General arrangement 50 cwt friction drop stamp. General arrangement & foundation	1.1.1941 10.2.1941	
21750B	Gravity stamps. Time analysis of blow cycle & blows/min	Dec 1940	
21751B	6 tons friction drop stamp. General arrangement	18.3.1941	
21770B	20 cwt ram type arch stamp. Arrangement of valves	13.2.1941	
21785B	Drop stamp for hollow-ware	4.3.1941	
21786B	10 cwt Bennie Rigby hammer. General arrangement.	26.4.41	
21828B	No. 4 oil fired furnace. General arrangement  Modification of 20 cwt "with slides" pneumatic hammer. Notes on assembly	3.4.1941	
21872B	etc	25.11.1941	
- ==	30 cwt self contained friction stamp fitted with "simplex" self acting gear.	· vee	
21878B	General arrangement	8.8.1941	
0400:5	10 cwt steam hammer, overhanging form - B8174 converted to H.W	10.0.107	
21884B	Arrangement of H.W. valve gear	18.6.1941	
21917B 21923B	16 cwt - 8 cwt - 20 cwt friction drop stamp battery form general arrangement 3 cwt clear space pneumatic hammer des. c.s.31 arrangement of gears	12.8.1941 8.7.1941	
21923B 21924B	30 cwt clear space pneumatic hammer design cs 31 general arrangement	8.4.1947	
21925B	6 " self oiling pedestal machining drawing for body and cap	21.6.1941	
21938B	50 cwt friction drop stamp lifting belt arrangement	13.8 1942	
21942B	7 cwt friction drop stamp self contained form	18.7.1941	
21951B	stanchion for friction drop stamp battery	20.10 1941	
21952B	7cwt friction drop stamp, self contained, fitted with Simplex self-act gear, GENERAL ARRANGEMENT	1.7.1941	
210020	5cwt friction drop stamp, self-contained form, fitted with Simplex self-act gear,		
21953B	GENERAL ARRANGEMENT	12.7.1941	
21954B	2" horizontal forging machine, general arrangement	27.6.1941	

the national Machinery Co, Tiffin, Ohio the national Machinery Co, Tiffin, Ohio

on same drawing as above

translation with French original

original drawing

21955B	20cwt, 7cwt, stamp battery converted to 'Massey' friction lifters	26.11.1941
21970B	5 tons friction drop stamp, cast steel guide	13.1.1942
21975B	40cwt clear space pneumatic hammer DES.C.S.31 (anvil block FWx15), GENERAL ARRANGEMENT	18.11.1941
219756	10 cwt friction drop stamp, battery form, GENERAL ARRANGEMENT and	10.11.1941
21984B	foundation	29.8.1941
21991B	15cwt friction stamp anvil block	19.12.1941
21995B	15cwt friction drop rigid guides, grease pocket	1.8.1941
22004B/A	15cwt friction drop stamp, battery form, GENERAL ARRANGEMENT & foundations	3.10.1941
22004B/A	texrope-driven 2cwt clear space pneumatic hammer, DES.CS31 GENERAL	3.10.1341
22023B	ARRANGEMENT	12.11.1941
	20cwt clear space pneumatic hammer, DES.CS31 GENERAL	
22031B	ARRANGEMENT	29.1.1942
22032B	20cwt clear space pneumatic hammer, DES.CS31, arrangement of control valve	31.1.1942
22033B	40cwt arch-form steam hammer, baseplate	1.4.1943
22034B	40cwt arch form steam hammer, GENERAL ARRANGEMENT	26.8.1941
22037B	5 tons friction drop stamp, lifter arm (divided type), 8'9" stroke	3.10.1942
22043B	3cwt clear space pneumatic hammer, des CS31, general arrangement 5cwt CS pneumatic hammer, des CS31, general arrangement [printed back to	1.5.1947
22044B	front	23.10.1950
22045B	7cwt clear space pneumatic hammer, des CS31, general arrangement	3.9.1941
22046B	10cwt clear space pneumatic hammer, des CS31, general arrangement	8.4.1947
22047B	15cwt clear space pneumatic hammer, des CS31, general arrangement	8.4.1947
22048B	35cwt friction drop stamp anvil block	12.9.1941
22049B	20cwt clear space pneumatic hammer, des CS31, general arrangement	15.9.1941
22067B 22068B	40cwt friction drop stamp battery, shafting & water circulation 40cwt friction drop stamp battery, top girders & drilling plan	23.9.1941 23.9.1941
22069B	40cwt friction drop stamp battery, top gliders & drilling plant	5.12.1941
22073B	35cwt friction drop stamp lifter, J704 general arrangement	1.4.1946
22085B	80cwt, 40cwt friction drop stamp battery, general arrangement	19.9.1941
22086B	3cwt bottle forging hammer & carriage, general arrangement	26.9.1941
22094B	20cwt clear space pneumatic hammer, cross section views	3.10.1941
22097B 22098B	4 tons arch form hammer, base plates &c 4 tons arch form steam hammer, foundation	24.10.1941 23.10.1941
22099B	4 tons arch form steam hammer, general arrangement	23.10.1941
22101B	10 arch form steam hammer, foundation	17.10.1941
22102B	10 arch form hammer, anvil block	6.10.1941
22106B	4 tons friction drop stamp anvil block	4.11.1941
22116B	3 tons friction drop stamp lifter (J705) general arrangement	17.2.1942
22119B 22120B	40cwt guided ram stamp anvil block	13.11.1942
22120B 22121B	1500kgs clear space pneumatic hammer des CS31 general arrangement 1500kgs clear space pneumatic hammer, des CS31, foundation	6.11.1941 7.11.1941
22121B 22122B	60cwt girder form hammer, foundation	10.11.1941
22123B	15cwt Rigby steam hammer foundation	8.11.1941
22124B	Foundation for 15cwt steam hammer, overhanging form, revised design	7.11.1941
22133B	20cwt-10cwt-10cwt-20cwt friction drop stamp battery foundation	16.6.1941
22145B	Texrope-driven 2cwt clear space pneumatic hammer des CS31, foundation	15.11.1941
22146B	Texrope-driven15cwt clear space pneumatic hammer des CS31, foundation 12-18tons friction drop stamp 3-piece block	21.11.1941
22149B	12-18 tons friction drop stamp J679, arrangement of compensating gear for	4.12.1941
22150B	lifter belt (type 1141)	20.11.1941
22152B	12-18 tons friction drop stamp anvil block	1.12.1941
22153B	5 tons friction drop stamp lifter (J707) general arrangement	16.2.1942
22155B	10 tons arch form hammer, general arrangement	17.10.1939
22158B	50cwt friction drop stamp, arrangement of compensating gear for lifter belt 50 cwt guided ram stamp stuffing box	7.1.1942 2.3.1942
22160B 22161B	50 cwt guided ram stamp staming box 50 cwt guided ram stamp cylinder	26.2.1942
22162B	50 cwt guided ram stamp standard	13.3.1942
22163B	50 cwt guided ram stamp standard	19.3.1942
22164B	50 cwt guided ram stamp entablature	17.3.1942
22165B	50 cwt guided ram stamp general arrangement	2.3.1942
22169B	40 cwt self contained friction drop stamp	5.12.1941
22170B 22172B	40 cwt self contained friction drop stamp foundation 10 cwt Rigby air hammer general arrangement	26.6.41 9.1.1942
22172B 22174B	25 cwt Rigby hammer arrangement of drain piping	27.1.1942
22177B	30 cwt - 30 cwt Friction drop stamp battery general arrangement	30.12.1941
22181B	2 cwt pneumatic hammer texrope drive general arrangement	27.12.1941
	20 cwt self contained friction stamp hand operated lifting gear. General	
22196B	arrangement 20 cwt self contained friction stamp fitted with "simplex" self act gear.	7.2.1942
22197B	arrangement	6.2.1942
	7 cwt drop stamp self contained form fitted with simplex self act gear. General	
22201B	arrangement	25.8.1942
22202B	7 cwt drop stamp self contained form handworked. General arrangement	7.10.1942
22203B	5 cwt friction drop stamp self contained form	22.10.1942
22219B 22221B	7 cwt clear space pneumatic hammer, design CS31 10 cwt clear space pneumatic hammer des CS31 general arrangement	21.1.1942 28.1.1942
22221B 22223B	15 cwt clear space pneumatic hammer des CS31 general arrangement	20.1.1942
22226B	4 tons friction drop stamp cast iron steel guides	15.1.1942
22230B	750 tons trimming press pitman gear casting	4.2.1942
22249B	80 cwt - 7 cwt- 15 cwt friction stamp lifters(j737) general arrangement	30.3.1942
22261B	suspended duplex stamp (leakless spring)	31.3.1942
22267B	5 tons friction drop stamp general arrangement	27.3.1942
22290B 22291B	60 cwt-7cwt-20cwt friction stamp lifters (j735) general arrangement 60 cwt-7cwt-20cwt friction drop stamp lifters (J376) general arrangement	25.3.1942 24.3.1942
22291B 22295B	8 tons friction drop stamp general arrangement	7.4.1942
22298B	8 tons friction drop stamps motor support	28.4.1943
22310B	6 cwt bottle forging hammer and carriage general arrangement	14.4.1942
22316B	8 tons friction drop stamp arrangement and details of hold up prop	22.4.1942
22318B	60 cwt -7 cwt -20 cwt stamp lifters (J738) general arrangement	10.4.1942
22322B	3 cwt bottle forging hammer and carriage general arrangement 20 cwt self contained friction stamp standards (C steel)	18.4.1942 6.7.1942
22323B	20 cwt self contained friction stamp standards (C steer) 20 cwt self contained friction stamp hand operated lifting gear general	0.1.1342
22327B	arrangement	28.4.1942
22328B	50 cwt friction drop stamp D850 general arrangement and foundation	20.4.1942
	10 cwt CS pneumatic bottle forging hammer and carriage general	
22334B 22338B	arrangement	24.4.1942
	40 cwt friction drop stamp lifter general arrangement	25.5.1942

with French translation

22340B	20 cwt self contained friction stamp hand operated lifting gear general arrangement	20.4.4042
22340B 22341B	10cwt hammer without slides overhanging form Rigby type steel frame	28.4.1942 30.6.1942
22347B	12/18 tons friction drop stamp general arrangement	13.5.1942
	7 cwt clear space pneumatic hammer design CS31 with guided anvil block	
22352B	general arrangement	7.5.1942
22353B	7 cwt clear space pneumatic hammer des CS31 foundation	7.5.1942
22360B 22363B	50 cwt friction drop stamp general arrangement and foundation	14.5.1942
22303D	5 cwt CS pneumatic hammer des CS31 general arrangement 12/18 tons friction drop stamp arrangement of compensating gear for lifter belt	18.5 1942
22367B	(type 5/42)	3.5.1942
22381B	60 cwt -7 cwt - 15 cwt friction stamp lifters (J740) general arrangement	22.6.1942
22381B	60 cwt-7 cwt-20 cwt friction stamp lifters (J379) general arrangement	18.6.1942
22382B	friction drop stamps up to 50 cwt catalogue drawing	16.3.1943
22386B	2 cwt clear space pneumatic hammer des CS31 general arrangement	12.6.1942
22388B 22400B	3 cwt clear space pneumatic hammer design CS31 general arrangement special oil furnace hearth 66" x 42" general arrangement	28.1.1948 9.7.1942
224000	40 cwt self contained friction stamp fitted with "simplex" self acting gear	0.7.1042
22403B	general arrangement	25.6.1942
	30 cwt self contained friction stamp hand operated lifting gear general	
22411B	arrangement	5.11.1942
22412B	30 cwt self contained friction stamp general arrangement 20 cwt arch form hammer CI framing adjustable slides 35" stroke general	16.9.1942
22418B	arrangement	4.7.1942
221102	15cwt self contained friction drop stamp, fitted with simplex self act gear	
22423B	general arrangement	14.9.1942
	30cwt clear space pneumatic hammer Des CS31, arrangement of control	
22428B	valve and machining of valve chest housing	21.7.1942
22431B 22437B	270 ton trimming press tie-bolt type, general arrangement and foundation Friction drop stamps 60 cwt and above, catalogue drawing	21.7.1942 16.3.1943
22437B 22438B	10 cwt friction drop stamp, general arrangement and foundation	4.8.1942
	30 cwt self contained friction stamp fitted with Simplex self-acting gear,	
22445B	general arrangement	9.10.1942
22449B	15 cwt friction drop stamp self-contained form L345, general arrangement	28.7.1942
22450B	20 cwt self-contained friction stamp (texrope drive) L372, general arrangement	
22459B 22462B	40 cwt clear space pneumatic hammer des CS31, general arrangement 15 cwt friction drop stamp, self-contained form, general arrangement	20.8.1942 26.8.1942
22463B	20 cwt friction drop stamp, self-contained form, foundation	21.8.1942
22464B	60-30 cwt friction drop stamp battery, general arrangement	7.9.1942
	7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting	
22466B	gear, general arrangement	28.8.1942
00 40 <b>7</b> D	5 cwt friction drop stamp, self-contained form, fitted with simplex self-acting	40.40.40.40
22467B 22468B	gear, general arrangement	10.10.1942 1.9.1942
22400D	10 cwt friction drop stamp, self-contained form, general arrangement 30 cwt self-contained friction stamp, hand-operated lifting gear, general	1.9.1942
22473B	arrangement	29.10.1942
	15 cwt self-contained friction drop stamp, fitted with Simplex self-acting gear,	
22474B	general arrangement	2.9.1942
00.4750	10 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting	0.0.4040
22475B 22478B	gear, general arrangement 30-25 cwt friction drop stamp battery, shafting and water circulation	8.9.1942 12.1.11.1942
22479B	30 - 25 cwt friction drop stamp battery, snatting and water circulation	20.10.1942
22480B	30-25 cwt friction drop stamp battery, general arrangement	3.11.1942
	7 cwt friction drop stamp self-contained form, fitted with Simplex self-acting	
22481B	gear, general arrangement	13.11.1942
22482B	14 cwt clear space pneumatic hammer, des CS31, general arrangement	17.9.1943
22483B 22587B	40 cwt clear space pneumatic hammer, des CS31, foundation 15 cwt self-contained friction drop stamp, general arrangement	21.8.1943 10.12.1942
22489B	20 cwt self-contained friction stamp, general arrangement	14.9.1942
22490B	20 cwt friction drop stamp, self-contained form, foundation	8.9.1942
22507B	4 ton girder-form steam hammer, general arrangement	27.10.1942
22511B	6 tons friction drop stamp, general arrangement	13.2.1943
22515B	30 cwt ram-type arch stamp, arrangement of valves	22.10.1942
22521B	60 cwt arch hammer, CI frame, general arrangement 60 cwt girder-form hammer, general arrangement	30.10.1942 1.4.1943
22522B	10-10-10 cwt stamp battery, conversion to friction, general arrangement and	1.4.1943
22544B	drilling plan	2.2.1943
22552B	15 cwt friction drop stamp self-contained form, general arrangement	14.6.1943
22567B	50-20 cwt friction drop stamp conversion, general arrangement	30.11.1942
22569B	60 cwt arch form hammer, general arrangement Retaining ring bending machine, horizontal type, motor-driven, general	11.11.1942
22573B	arrangement and foundation	28.11.1942
22574B	6 tons friction drop stamp, general arrangement	4.12.1942
	7 cwt friction drop stamp, self-contained form, hand worked, general	*****
22576B	arrangement	24.11.1942
22577B	15 cwt self-contained friction drop stamp, general arrangement 40 cwt self-contained friction stamp, hand operated lifting gear, general	28.11.1942
22596B	arrangement	16.12.1942
22600B	15 cwt friction drop stamp, general arrangement and foundation	9.3.1943
22602B	3 cwt pneumatic hammer, texrope drive, general arrangement	23.12.1942
22632B	6 tons friction drop stamp, general arrangement	28.1.1943
22635B	60 cwt arch form hammer, general arrangement	27.1.1943
22636B 22651B	60 cwt arch form hammer, general arrangement 40 cwt arch form steam hammer, general arrangement	30.1.1943 20.2.1943
22651B 22663B	140 tons trimming press, tie-bolt type, general arrangement and foundation	5.4.1943
22680B	60 cwt arch form hammer, general arrangement	6.7.1943
22683B	5-15 cwt self-contained stamps, catalogue drawing	18.3.1943
22685B	6 tons drop stamp anvil block	31.3.1943
22696B	20 cwt arch form hammer, general arrangement	22.4.1943
22701B 22703B/A	15 cwt self-contained stamp, L345, footlever gear arrangement and details Friction drop stamps, 60 cwt and above, catalogue drawing	19.5.1943 8.5.1943
22703B/A 22703B/B	Friction drop stamps, 60 cwt and above, catalogue drawing  Friction drop stamps 60 cwt and above, catalogue drawing	8.5.1943 8.5.1943
22703B/B 22708B	10 cwt guided ram stamp, arrangement of valve gears	21.7.1943
	20 cwt self-contained friction stamp (texrope drive), L372, general	
22713B	arrangement	1.6.1943
22714B		0.7.4049
22717B	10 cwt guided ram stamp, arrangement of stuffing box and gland	9.7.1943
22718R	50 ft tons suspended duplex stamp	25.6.1943
22718B 22729B	50 ft tons suspended duplex stamp 20 cwt clear space pneumatic hammer, des CS31, general arrangement	25.6.1943 5.7.1943
22718B 22729B 22730B	50 ft tons suspended duplex stamp	25.6.1943
22729B 22730B 22745B	50 ft tons suspended duplex stamp 20 cwt clear space pneumatic hammer, des CS31, general arrangement 20 cwt self-contained stamp, general arrangement 200 tons trimming press, tie-bolt type, general arrangement and foundation 7 cwt clear space pneumatic hammer, des CS31, general arrangement	25.6.1943 5.7.1943 25.6.1943 1.7.1943 15.7.1943
22729B 22730B	50 ft tons suspended duplex stamp 20 cwt clear space pneumatic hammer, des CS31, general arrangement 20 cwt self-contained stamp, general arrangement 200 tons trimming press, tie-bolt type, general arrangement and foundation	25.6.1943 5.7.1943 25.6.1943 1.7.1943

22810B	20 cwt arch steam hammer for tilting, general arrangement	2.11.1943
22815B		
	20 cwt guided ram stamp, general arrangement	22.10.1943
22823B	20 cwt self-contained stamp with rotary hydraulic lifter	26.10.1943
	5 cwt pneumatic hammer, arrangement of control valve and machining of	
00007D	·	00.40.4040
22827B	valve chest	29.10.1943
22829B	15 cwt friction drop stamp, self-contained form, general arrangement	13.11.1943
22831B	15 cwt self-contained friction drop stamp, general arrangement	9.2.1944
	10-15 cwt self-contained friction drop stamp (self-acting), arrangement of head	
22022D		4.4.4044
22832B	gear	4.4.1944
22836B	Smithy tools, swages and miscellaneous tools	22.1.1944
	15 cwt self-contained friction drop stamp (handworked), arrangement of ladder	
22020B	and platform	10.2.1044
22839B	•	10.3.1944
22840B	80 cwt - 25 cwt - 25 cwt - 60 cwt friction stamp battery, shafting details	11.12.1943
	7 cwt self-contained friction drop stamp, foot or hand operated pull chord,	
22842B	general arrangement	21.12.1943
220-128	15 cwt friction drop stamp self-contained form, fitted with Simplex self-act	21.12.10-10
	·	
22850B	gear, general arrangement	29.12.1943
22886B	2 cwt spring hammer overhanging form, foundation	29.2.1944
22887B	2 cwt spring hammer, overhanging form, general arrangement	14.3.1944
22897B	2 cwt self-contained friction stamp, experimental hold-up gear	25.2.1944
	general arrangement of "keelavite" pump R142B, as fitted on 10 ft tons	
22898B	suspended duplex stamp	17.3.1944
22900B	45- 15 cwt friction drop stamp battery, details of cross joists, etc	27.6.1944
22901B	200 tons forging press, tie-bolt type, arrangement of die levers, punch, etc	18.2.1944
	12/18 tons friction drop stamp, arrangement of compensating gear for lifter belt	
22913B	(type 2/44)	15.3.1944
22915B	3 cwt pneumatic hammer for bottle forging, general arrangement	6.3.1944
22919B	1500 kilos clear space pneumatic hammer, des CS31, general arrangement	23.2.1944
22928B	Head gear casting, 10-16 cwt friction drop stamp, SC form	25.2.1949
22935B	15 cwt self-contained friction drop stamp, general arrangement	23.3.1944
22936B	200 tons trimming press, solid frame type	14.3.1944
22944B	15 cwt self-contained friction drop stamp, general arrangement	31.3.1944
22952B	3 cwt pneumatic hammer for bottle forging cylinders	13.4.1944
22971B	10 cwt and 15 cwt self-contained stamp, assembly of hold-up prop	6.4.1944
22972B	15 cwt self-contained friction drop stamp, general arrangement	15.4.1944
	, .	
22974B	10 cwt self-contained friction drop stamp, general arrangement	20.4.1944
22975B	10 cwt self-contained friction drop stamp, general arrangement	24.4.1944
22982B	20 cwt friction drop stamp, self-contained form, foundation	24.4.1944
EEGGEB		24.4.1044
	40 cwt self-contained friction stamp, fitted with Simplex self-acting gear,	
22985B	general arrangement	22.4.1944
22986B	Texrope driven 15 cwt clear space pneumatic hammer, des CS31, foundation	27 4 1944
22987B	10 cwt steam hammer, overhanging form, cylinder and valve chest	19.5.1944
22988B	10 cwt overhanging steam hammer (HW Exp), standards	6.6.1944
	10 cwt overhanging steam hammer, handworked expansion valve gear, base	
22989B	plate and anvil block	9.6.1944
22990B	10 cwt overhanging steam hammer, HW Exp, general arrangement	13.5.1944
22992B	30 cwt - 10 cwt friction drop stamp battery, shafting and water circulation	12.7.1944
23000B	20 cwt self-contained stamp, ladder and platform	7.6.1944
23003B	10 cwt self-contained friction drop stamp, anvil block	10.6.1944
23004B	15 cwt self-contained friction drop stamp, anvil block	6.6.1944
	45 cwt - 15 cwt friction drop stamp battery, conversion J789 (no 11 battery),	
2200CD		12.6.1044
23006B	general arrangement and drilling plan	13.6.1944
	30-12-20 cwt friction drop etamp battery (no 16 battery) 1700, general	
	30-12-20 cwt friction drop stamp battery (no 16 battery), J790, general	
23007B		26.7.1944
23007B	arrangement and drilling plan	26.7.1944
	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general	
23008B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan	26.7.1944 20.7.1944
	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general	
23008B 23009B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp	20.7.1944 7.7.1944
23008B 23009B 23010B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement	20.7.1944 7.7.1944 22.5.1944
23008B 23009B 23010B 23011B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp	20.7.1944 7.7.1944 22.5.1944 31.5.1944
23008B 23009B 23010B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement	20.7.1944 7.7.1944 22.5.1944
23008B 23009B 23010B 23011B 23025B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944
23008B 23009B 23010B 23011B 23025B 23027B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261)	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636)	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944
23008B 23009B 23010B 23011B 23025B 23027B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261)	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 30.6.1944 24.6.1944 26.6.1944
23008B 23009B 23010B 23011B 23025B 23027B 23027B 23028B 23029B 23030B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 30.6.1944 24.6.1944 27.6.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 30.6.1944 24.6.1944 26.6.1944
23008B 23009B 23010B 23011B 23025B 23027B 23027B 23028B 23029B 23030B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 30.6.1944 24.6.1944 27.6.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944 2.8.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 28.8.1944 5.9.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 43.6.1944 24.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 2.8.1944 2.8.1944 2.9.1945
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 50 kg/112 lb. bow spring hammer, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 28.8.1944 5.9.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 43.6.1944 24.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 2.8.1944 2.8.1944 2.9.1945
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 50 kg/112 lb. bow spring hammer, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 43.6.1944 24.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 2.8.1944 2.8.1944 2.9.1945
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23037B 23035B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing, handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 50 kg/112 lb. bow spring hammer, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 28.1944 29.1945 29.12.1944 211.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23035B 23058B 23058B 23058B 23101B 23110B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 50 kg/112 lb. bow spring hammer, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 2.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23037B 23035B 23055B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt spring hammer, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 28.1944 29.1945 29.12.1944 211.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23035B 23058B 23058B 23058B 23101B 23110B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear,	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 2.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23035B 23058B 23058B 23058B 23101B 23110B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt spring hammer, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 2.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B 23055B 23101B 23110B 23110B 23126B 23133B 23135B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction stamp, general arrangement 30 cwt self-contained friction stamp, general arrangement 30 cwt self-contained friction stamp, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 28.1944 29.1945 29.12.1944 2.11.1944 2.11.1944 2.11.1944 1.7.1946
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23035B 23058B 23058B 23101B 23110B 23110B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, general arrangement 60 tons trimming press, solid frame type, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 2.11.1944 1.7.1946 15.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 230568B 230568B 23101B 23110B 23126B 23133B 23137B 23137B 23137B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 60 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944 28.1944 59.1944 29.12.1944 211.1944 2.11.1944 1.7.1946 15.11.1944 18.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23035B 23058B 23058B 23101B 23110B 23110B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, general arrangement 60 tons trimming press, solid frame type, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 2.11.1944 1.7.1946 15.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 23101B 23110B 23126B 23133B 23135B 23135B 23135B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 60 tons trimming press, solid frame type, general arrangement 120 tons trimming press, solid frame type, general arrangement 150 tons friction lifter for 6.5 tons panel stamp, shaft details	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 23.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944 22.9.1945 29.12.1944 2.11.1944 2.11.1944 1.7.1946 1.5.11.1944 1.7.1946 1.5.11.1944 1.7.1944 1.7.1946 1.5.11.1944 1.8.11.1944 6.12.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 23058B 23101B 23110B 23110B 231138 23133B 23133B 23135B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 1 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction stamp, general arrangement 30 cwt self-contained friction stamp, general arrangement 60 tons trimming press, solid frame type, general arrangement 100 tons trimming press, solid frame type, general arrangement 100 tons trimming press, solid frame type, general arrangement 100 tons trimming press, solid frame type, general arrangement 100 tons trimming press, solid frame type, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 11.11.1944 1.7.1946 15.11.1944 18.11.1944 29.11.1944 29.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23058B 23058B 23058B 23101B 23110B 23126B 23133B 23135B 23141B 23148B 23141B 23141B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, general arrangement 60 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement	20.7.1944 7.7.1944 2.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 1.11.1944 1.7.1946 15.11.1944 18.11.1944 6.12.1944 29.11.1944 21.11.1944 21.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 23058B 23101B 23110B 23110B 231138 23133B 23133B 23135B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 cwt self-contained friction stamp, paneral arrangement 30 cwt self-contained friction stamp, paneral arrangement 40 tons trimming press, solid frame type, general arrangement 40 tons trimming press, solid frame type, general arrangement 40 tons trimming press, solid frame type, general arrangement	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 11.11.1944 1.7.1946 15.11.1944 18.11.1944 29.11.1944 29.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23058B 23058B 23058B 23101B 23110B 23126B 23133B 23135B 23141B 23148B 23141B 23141B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, general arrangement 60 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement	20.7.1944 7.7.1944 2.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 1.11.1944 1.7.1946 15.11.1944 18.11.1944 6.12.1944 29.11.1944 21.11.1944 21.11.1944
23008B 23009B 23011B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B 23058B 23101B 23110B 23126B 231338 23135B 23137B 23138B 23148B 23148B 23148B 23150B 23151B 23157B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tons panel stamp, panel atrangement 30 tons friction lifter for 6.5 tons panel stamp, arrangements and details of	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 1.11.1944 1.7.1946 15.11.1944 1.7.1944 29.11.1944 29.11.1944 29.11.1945 21.12.1944 51.11.1944
23008B 23009B 23011B 23025B 23021B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 23058B 23101B 23110B 23126B 23133B 23135B 23137B 23138B 23141B 23141B 23141B 23150B 23151B 23157B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 50 kg/112 lb. bow spring hammer, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 60 tons trimming press, solid frame type, general arrangement 120 tons trimming press, solid frame type, general arrangement 3 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, lifter arm 40 cwt guided ram stamp, arrangement of valves 3 tons friction lifter for 6.5 tons panel stamp, arrangements and details of balance gear	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 11.11.1944 11.11.1944 15.11.1944 18.11.1944 29.11.1944 29.11.1944 51.12.1944 51.12.1944 51.12.1944 51.12.1944 51.13945 51.1945
23008B 23009B 23011B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B 23058B 23101B 23110B 23126B 231338 23135B 23137B 23138B 23148B 23148B 23148B 23150B 23151B 23157B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tons panel stamp, panel atrangement 30 tons friction lifter for 6.5 tons panel stamp, arrangements and details of	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 1.11.1944 1.7.1946 15.11.1944 1.7.1944 29.11.1944 29.11.1944 29.11.1945 21.12.1944 51.11.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23058B 23058B 23101B 23110B 23126B 23141B 23148B 23148B 23148B 23151B 23157B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 60 tons trimming press, solid frame type, general arrangement 120 tons trimming press, solid frame type, general arrangement 3 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, arrangements and details of balance gear 5 tons arch form hammer, general arrangement	20.7.1944 7.7.1944 2.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944 2.8.1944 5.9.1944 2.9.1945 29.12.1944 2.11.1944 1.17.1946 15.11.1944 18.11.1944 6.12.1944 29.11.1945 51.12.1944 51.1.1945 51.1.1945
23008B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 23105B 23110B 23110B 231126B 23133B 23137B 23148B 23141B 23148B 23150B 23157B 23162B 23162B 23162B 23162B 23162B 23162B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, tons panel stamp, shaft details 550 tons trimming press, tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, arrangements and details of balance gear	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944 22.9.1945 29.12.1944 2.11.1944 2.11.1944 1.7.1946 15.11.1944 1.7.1946 15.11.1944 29.11.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945
23008B 23009B 23011B 23025B 23021B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 23101B 23110B 23110B 23114B 23138B 23137B 23138B 23141B 23141B 23141B 23150B 23151B 23157B 23162B 23162B 23164B 23177B 23179B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing, handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 120 tons trimming press, solid frame type, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, arrangements and details of balance gear 5 tons arch form hammer, general arrangement 15 cwt friction of form thammer, general arrangement and foundation 3 tons friction lifter for 6.5 tons panel stamp, general arrangement and foundation	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 28.1944 29.12.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1945 21.12.1944 29.11.1945 21.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944
23008B 23010B 23011B 23025B 23027B 23028B 23029B 23030B  23031B 23037B 23038B 23035B 23055B  23058B 23101B 23110B  23126B 23133B 23135B  23137B 23138B 23141B 23148B 23150B 23151B 23157B  23162B 23162B 23164B 23177B 23162B 23177B 23177B 23177B 23177B 23177B 23177B 23177B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 50 kg/112 lb. bow spring hammer, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, lifter arm 40 cwt guided ram stamp, arrangement of valves 3 tons friction lifter for 6.5 tons panel stamp, general arrangement and details of balance gear 5 tons arch form hammer, general arrangement 15 cwt friction drop stamp battery form, general arrangement and foundation 3 tons friction lifter for 6.5 tons panel stamp, general	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 27.7.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1945 21.1.2.1944 29.11.1945 21.1.2.1944 29.11.1945 21.1.2.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944
23008B 23009B 23011B 23025B 23021B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 23101B 23110B 23110B 23114B 23138B 23137B 23138B 23141B 23141B 23141B 23150B 23151B 23157B 23162B 23162B 23164B 23177B 23179B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing, handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 120 tons trimming press, solid frame type, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, arrangements and details of balance gear 5 tons arch form hammer, general arrangement 15 cwt friction of form thammer, general arrangement and foundation 3 tons friction lifter for 6.5 tons panel stamp, general arrangement and foundation	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 28.1944 29.12.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1945 21.12.1944 29.11.1945 21.12.1944 29.11.1945 21.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944
23008B 23009B 23011B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23058B 23058B 23101B 23110B 23126B 23133B 23141B 23148B 23148B 23151B 23157B 23162B 23164B 23177B 23162B 23164B 23177B 23179B 23181B 23181B 23181B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp stampare stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 30 cwt self-contained friction stamp, paneral arrangement 30 tons trimming press, solid frame type, general arrangement 30 tons trimming press, solid frame type, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, lifter arm 40 cwt guided ram stamp, arrangement of valves 3 tons friction lifter for 6.5 tons panel stamp, general arrangement 5 tons friction drop stamp battery form, general arrang	20.7.1944 7.7.1944 2.5.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944 2.8.1944 5.9.1944 2.9.1945 29.12.1944 2.11.1944 1.11.11.1944 1.7.1946 15.11.1944 1.11.1944 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 13.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B 23058B 23058B 23101B 23110B 23126B 23133B 23135B 23135B 23148B 23148B 23150B 23151B 23157B 23162B 23164B 23177B 23164B 23177B 23164B 23179B 23181B 23181B 23183B 23188B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 12.5 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, arrangements and details of balance gear 5 tons arch form hammer, general arrangement 15 cwt friction drop stamp, battery form, general arrangement and details of balance gear 5 tons friction drop stamp, battery form, general arrangement and details of balance gear 5 tons friction drop stamp battery form, general arr	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 6.7.1944 27.7.1944 28.1944 29.11.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1945 21.12.1944 29.11.1945 21.12.1944 29.11.1945 21.12.1944 29.12.1944
23008B 23009B 23011B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23058B 23058B 23101B 23110B 23126B 23133B 23141B 23148B 23148B 23151B 23157B 23162B 23164B 23177B 23162B 23164B 23177B 23179B 23181B 23181B 23181B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 120 tons trimming press, solid frame type, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 5 tons friction lifter for 6.5 tons panel stamp, panel arrangement 5 tons friction lifter for 6.5 tons panel stamp, panel arrangement 5 tons friction lifter for 6.5 tons panel stamp, general arrangement and details of balance gear 5 tons arch form hammer, general arrangement arrangement 5 tons friction drop stamp lifter, J795, general arrangement and d	20.7.1944 7.7.1944 2.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944 27.7.1944 2.8.1944 5.9.1944 2.9.1945 29.12.1944 2.11.1944 1.11.1944 1.7.1946 15.11.1944 1.11.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945
23008B 23010B 23011B 23025B 23027B 23028B 23029B 23030B  23031B 23037B 23038B 23055B 23055B 23058B 23101B 23110B  23126B 23133B 23135B  23141B 23148B 23141B 23148B 23157B  23162B 23157B  23162B 23157B  23162B 23177B 23168B 23177B 23188B 23141B 23148B 23159B 23151B 23157B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 50 kg/112 lb. bow spring hammer, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 60 tons trimming press, solid frame type, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, lifter arm 40 cwt guided ram stamp, arrangement of valves 3 tons friction lifter for 6.5 tons panel stamp, general arrangement and details of balance gear 5 tons arch form hammer, general arrangement 15 cwt riction drop stamp battery form, general arrangement and dilling plan 5 tons friction drop stamp lifter, J796, general arrang	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 2.8.1944 2.9.1945 29.12.1944 2.11.1944 2.11.1944 2.11.1944 2.11.1944 3.1.11.1944 3.1.1944 5.11.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1946 5.1.1946 5.1.1946 5.1.1947 5.1.1948 5.1.1948 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 5.1.1949 6.2.1945 5.6.1945
23008B 23009B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23037B 23038B 23055B 23058B 23058B 23101B 23110B 23126B 23133B 23135B 23135B 23148B 23148B 23150B 23151B 23157B 23162B 23164B 23177B 23164B 23177B 23164B 23179B 23181B 23181B 23183B 23188B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 120 tons trimming press, solid frame type, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 5 tons friction lifter for 6.5 tons panel stamp, panel arrangement 5 tons friction lifter for 6.5 tons panel stamp, panel arrangement 5 tons friction lifter for 6.5 tons panel stamp, general arrangement and details of balance gear 5 tons arch form hammer, general arrangement arrangement 5 tons friction drop stamp lifter, J795, general arrangement and d	20.7.1944 7.7.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 6.7.1944 27.7.1944 28.1944 29.11.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1945 21.12.1944 29.11.1945 21.12.1944 29.11.1945 21.12.1944 29.12.1944
23008B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23055B 23055B 23055B 23106B 23110B 23110B 23126B 23133B 23135B 23141B 23148B 23148B 23157B 23162B 23157B 23162B 23177B 23177B 23177B 23177B 23179B 23181B 23148B 23149B 23149B 23149B 23157B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, tons panel stamp, shaft details 550 tons trimming press, tons panel stamp, shaft details 550 tons trimming press, tons panel stamp, general arrangement 15 tons friction lifter for 6.5 tons panel stamp, arrangements and details of balance gear 5 tons arch form hammer, general arrangement and details of balance gear 5 tons friction drop stamp battery form, general arrangement and details of balance gear 15 tons friction drop sta	20.7.1944 7.7.1944 2.5.1944 22.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 10.7.1944 27.7.1944 2.8.1944 5.9.1944 2.9.1945 29.12.1944 2.11.1944 1.11.1944 1.7.1946 15.11.1944 1.11.1945 5.1.1945 21.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945 5.1.1945
23008B 23009B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23035B 23036B 23101B 23110B 23126B 23133B 23135B 23135B 23137B 23138B 23148B 23148B 23157B 23162B 23157B 23162B 23177B 23179B 23179B 23178B 23179B 23181B 23179B 23181B 23179B 23179B 23181B 23179B 23181B 23195B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons tritinning press, tons panel stamp, shaft details 550 tons trimming press, tons panel stamp, panel arrangement 10 tons friction lifter for 6.5 tons panel stamp, arrangement and details of balance gear 1 tons friction drop stamp, total falling weight 12 cwt, general arrangement 15 cwt friction drop stamp battery form, ge	20.7.1944 7.7.1944 2.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 28.1944 29.1945 29.12.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1945 21.12.1944 29.11.1945 21.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1945 20.6.1945 20.6.1945
23008B 23010B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23035B 23055B 23058B 23101B 23110B 23110B 23126B 23133B 23135B 23137B 23138B 23141B 23141B 23141B 23141B 23141B 23141B 23141B 23141B 23141B 23150B 23157B 23162B 23164B 23177B 23162B 23164B 23177B 23179B 23181B 23179B 23181B 23183B 23195B 23195B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5638 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 20 kg/112 lb. bow spring hammer, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction drop stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 30 tons trimming press, solid frame type, general arrangement 30 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, shaft details 550 tons trimming press, tie-bolt type, brake drum 3 tons friction lifter for 6.5 tons panel stamp, general arrangement and doundation 3 tons friction lifter for 6.5 tons panel stamp, general arrangement 5 tons friction drop stamp battery form, general arrangement and drilling plan 5 tons friction drop stamp lif	20.7.1944 7.7.1944 2.5.1944 31.5.1944 22.6.1944 30.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 27.7.1944 27.7.1944 27.7.1944 28.1944 29.12.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1945 21.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1945 21.12.1944 29.12.1945 21.12.1944 29.12.1945 21.12.1944 29.12.1945 21.12.1945
23008B 23009B 23011B 23025B 23027B 23028B 23029B 23030B 23031B 23037B 23038B 23035B 23036B 23101B 23110B 23126B 23133B 23135B 23135B 23137B 23138B 23148B 23148B 23157B 23162B 23157B 23162B 23177B 23179B 23179B 23178B 23179B 23181B 23179B 23181B 23179B 23179B 23181B 23179B 23181B 23195B	arrangement and drilling plan 45 cwt - 15 cwt friction drop stamp battery J788 (no 19 battery), general arrangement and drilling plan Modification to 10 ft tons suspended duplex stamp 40 cwt double-acting stamp, general arrangement 10 ft tons suspended duplex stamp 5 cwt CS pneumatic hammer, des CS31, general arrangement 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10261) 20 cwt self-contained friction stamp, standards, D5698 (B10636) 1 cwt and 2 cwt spring hammers, overhanging form, instructions Application of Massey friction lifter to panel stamp Clear space pneumatic hammers, des CS31 and with slides pneumatic hammers, set-up height, bottom hammer clearance etc 30 cwt - 10 cwt friction drop stamp battery, general arrangement 30-10 cwt friction drop stamp battery form, gear guard Suspended duplex stamp (oil-driven) using existing parts 7 cwt overhanging form hammer, cast iron framing. handworked expansion valve 200 tons trimming press, solid frame type, general arrangement 1 cwt spring hammer, overhanging form, general arrangement 7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting gear, general arrangement 12.5 cwt self-contained friction stamp, standards 3 cwt automatic self-contained stamp, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 30 cwt self-contained friction stamp, fitted with Simplex self-acting gear, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons trimming press, solid frame type, general arrangement 10 tons tritinning press, tons panel stamp, shaft details 550 tons trimming press, tons panel stamp, panel arrangement 10 tons friction lifter for 6.5 tons panel stamp, arrangement and details of balance gear 1 tons friction drop stamp, total falling weight 12 cwt, general arrangement 15 cwt friction drop stamp battery form, ge	20.7.1944 7.7.1944 2.5.1944 31.5.1944 22.6.1944 30.6.1944 24.6.1944 26.6.1944 27.6.1944 6.7.1944 10.7.1944 27.7.1944 28.1944 29.1945 29.12.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1944 21.1.1945 21.12.1944 29.11.1945 21.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1944 29.12.1945 20.6.1945 20.6.1945

	10 cust - 5 cust - 7 cust friction drop stamp battory conversion 1707, general	
23243B	10 cwt - 5 cwt - 7 cwt friction drop stamp battery conversion, J797, general arrangement	7.3.1945
202408	40 cwt self-contained friction stamp fitted with Simplex self-acting gear,	7.5.15-6
23250B	general arrangement	11.10.1945
23252B	6 cwt pneumatic hammer for bottle forging, cylinders	31.1.1945
23254B 23256B	No 5 oil furnace, half 36" x 27 " Oil furnace, details of welded pipes	1.2.1945 24.9.1945
23261B	25 cwt friction drop stamp battery, general arrangement	2.2.1945
23262B	30 cwt friction drop stamp battery, general arrangement	2.2.1945
23282B	30 cwt friction drop stamp battery form, shaft details	14.11.1945
23283B	6 cwt bottle forging hammer and carriage, general arrangement	13.2.1945
23285B	20 cwt hammer, Rigby form, general arrangement 10 cwt self-contained stamp (SA and HW), arrangement of ladder and	10.3.1945
23287B	platforms	5.3.1945
23295B	3 tons friction drop stamp lifter, J798, general arrangement and drilling plan	2.7.1945
	3 tons friction stamp lifter (for stamp no 4), J799, general arrangement and	
23303B 23327B	drilling plan 20 cwt quided ram stamp, arrangement of valves	9.7.1945 16.7.1945
23327B 23329B	20 cwt guided ram stamp, foundation	21.11.1945
23330B	30 cwt arch steam hammer, foundation	11.5.1940
23350B	15 cwt self-contained friction drop stamp, general arrangement	20.3.1945
00054B	15 cwt self-contained friction drop stamp, Simplex self-acting gear (dovetail	00.40.40.45
23351B	block), general arrangement 15 cwt self-contained friction drop stamp, handworked (poppett block), general	23.10.1945
23353B	arrangement	30.10.1945
	15 cwt self-contained friction drop stamp, handworked (dovetail block),	
23354B	general arrangement	17.11.1945
2225ED	5 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting	27.4.4045
23355B	gear, general arrangement 5 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting	27.4.1945
23356B	gear (dovtail block), general arrangement	24.10.1945
	5 cwt friction drop stamp, self-contained form, handworked, poppett block,	
23357B	general arrangement	23.10.1945
23358B	5 cwt friction drop stamp, self-contained form, handworked, dovetail block, general arrangement	22.10.1945
2000D	7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting	££.10.1340
23359B	gear, general arrangement	9.4.1945
00000=	7 cwt friction drop stamp, self-contained form, fitted with Simplex self-acting	
23360B	gear, general arrangement	11.10.1945
23361B	7 cwt friction drop stamp, self-contained form, handworked, general arrangement	22.5.1945
200018	7 cwt friction drop stamp, self-contained form, handworked, general	22.0.1040
23362B	arrangement	19.10.1945
23363B	10 cwt self-contained friction drop stamp, general arrangement	28.4.1945
23365B	10 cwt self-contained friction drop stamp, handworked (poppett block), general arrangement	5.11.1945
233000	10 cwt self-contained friction drop stamp, handworked, dovetail block, general	5.11.1945
23366B	arrangement	17.11.1945
	20 cwt self-contained friction drop stamp (fitted with Simplex self-act gear),	
23368B	general arrangement, dovetail block	23.10.1945
23369B	20 cwt self-contained friction drop stamp, handworked (poppett block), general arrangement	5.11.1945
20000B	20 cwt self-contained friction block stand, handworked (dovetail block),	3.11.1343
23370B	general arrangement	15.11.1945
23371B	550 tons trimming press, tie-bolt type, bed	3.12.1945
23372B	550 tons trimming press, tie-bolt type, arrangement of clutch gear 550 tons trimming press, tie-bolt type, arrangement of oil pump lubrication	15.2.1946
23375B	system	25.1.1946
23376B	40 cwt guided ram stamp, foundation	18.10.1945
23380B	40 cwt guided ram stamp, plain standard	8.9.1945
23381B	40 cwt guided ram stamp, motion standard	25.10.1945
23382B 23383B	40 cwt guided ram stamp, entablature 40 cwt guided ram stamp, cylinder	19.12.1945 29.8.1945
23384B 23385B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland	28.8.1945 29.6.1945
23384B 23385B 23386B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves	28.8.1945 29.6.1945 13.7.1945
23384B 23385B 23386B 23387B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945
23384B 23385B 23386B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters	28.8.1945 29.6.1945 13.7.1945
23384B 23385B 23386B 23387B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement	28.8.1945 29.6.1945 3.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement	28.8.1945 29.6.1945 3.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23453B 23454B 23498B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B 23498B 23508B 23530B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante,	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B 23498B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement	28.8.1945 29.6.1945 3.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B 23498B 23508B 23530B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante,	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B 23498B 23508B 23530B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945
23384B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23454B 23508B 23530B 23530B 23531B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement fiter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B 23498B 23508B 23530B 23531B 23539B 23539B 23559B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945 25.10.1945
23384B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23498B 23508B 23530B 23531B 23539B 23559B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945 25.10.1945 18.9.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B 23498B 23508B 23530B 23531B 23539B 23539B 23559B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947 18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945 25.10.1945
23384B 23385B 23386B 23387B 23394B 23451B 23453B 23454B 23498B 23530B 23531B 23531B 23539B 23539B 23567B 23588B 23599B 23601B 23607B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 10 tt tons suspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945  30.7.1946 29.10.1945  11.9.1945  18.9.1945 7.9.1945 25.10.1945 18.9.1945 8.9.1945 8.9.1945 8.9.1945 8.9.1945 8.10.1945 6.11.1945
23384B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23498B 23530B 23531B 23531B 23539B 23559B 23567B 23588B 23599B 23601B 23601B 23601B 23601B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 150 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 10 ft tons suspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 29.5.1945 17.7.1945  30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945 25.10.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945
23384B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23458B 23530B 23530B 23531B 23539B 23559B 23567B 23567B 23567B 23567B 23569B 23601B 23601B 23601B 23611B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (L447), general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 10 tons uspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement 100 kgs pneumatic hammer, texrope drive, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945 25.10.1945 8.10.1945 8.10.1945 6.11.1945 8.11.10.1945 8.11.10.1945 8.12.1945
23384B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23498B 23530B 23531B 23531B 23539B 23559B 23567B 23588B 23599B 23601B 23601B 23601B 23601B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement 61 cwt self-contained friction drop stamp (self-acting), general arrangement 62 of tons forging press, general arrangement 63 owt self-contained friction drop stamp (self-acting), general arrangement 64 Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement 65 owt self-acting) 65 de masse tombante, general arrangement 66 tons friction drop stamp, general arrangement 67 owt self-acting) 68 de masse tombante (type glissieres), general arrangement 68 tons friction drop stamp, general arrangement 69 owt clear space pneumatic hammer, des CS31, general arrangement 600 kgs pneumatic hammer, texrope drive, general arrangement 600 kgs pneumatic hammer, texrope drive, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 29.5.1945 17.7.1945  30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945 25.10.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945 18.9.1945
23384B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23458B 23530B 23530B 23531B 23539B 23559B 23567B 23567B 23567B 23567B 23569B 23601B 23601B 23601B 23611B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (L447), general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 10 tons uspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement 100 kgs pneumatic hammer, texrope drive, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945 25.10.1945 8.10.1945 8.10.1945 6.11.1945 8.11.10.1945 8.11.10.1945 8.12.1945
23384B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23454B 23530B 23530B 23531B 23539B 23559B 23567B 23567B 23567B 23561B 23611B 23611B 23611B 23611B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 61 fifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 8 tons friction drop stamp, general arrangement 10 th tons suspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement 100 kgs pneumatic hammer, texrope drive, general arrangement Foundation for 750 kgs pneumatic hammer (anvil block = 10 x FW) for belt or motor drive 150 tons forging press, arrangement of lubrication	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 29.5.1945 29.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 25.10.1945 8.10.1945 8.10.1945 6.11.1945 11.10.1945 8.12.1945 23.7.1946 25.3.1946 7.11.1945
23384B 23385B 23385B 23386B 23387B 23394B 23451B 23453B 23454B 23458B 23530B 23530B 23531B 23539B 23539B 23567B 23567B 23568B 2359B 23601B 23601B 23611B 23611B 23611B 23621B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 15 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 50 tons forging press, general arrangement (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 16 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 10 ft tons suspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement 100 kgs pneumatic hammer, texrope drive, general arrangement Foundation for 750 kgs pneumatic hammer (anvil block = 10 x FW) for belt or motor drive 150 tons forging press, arrangement of lubrication 5 tons double-acting stamp, piston-rod type, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 7.9.1945 25.10.1945 18.9.1945 26.10.1945 8.10.1945 8.10.1945 8.11.1945 11.10.1945 8.12.1945 23.7.1946 25.3.1946 7.11.1945 21.1.1945
23384B 23385B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23458B 23530B 23531B 23531B 23539B 23559B 23567B 23588B 23599B 23601B 23601B 23611B 23611B 23611B 23611B 23621B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 10 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement 100 kgs pneumatic hammer, texrope drive, general arrangement 500 kgs pneumatic hammer, texrope drive, general arrangement Foundation for 750 kgs pneumatic hammer (anvil block = 10 x FW) for belt or motor drive 150 tons forging press, arrangement of lubrication 5 tons double-acting stamp, piston-rod type, general arrangement 5 tons double-acting stamp, piston-rod type, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 25.10.1945 18.9.1945 25.10.1945 11.10.1945 8.11.10.1945 8.12.1945 23.7.1946 25.3.1946 7.11.1945 21.1.1945 21.1.1945 22.11.1945
23384B 23385B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23458B 23530B 23530B 23531B 23539B 23559B 23567B 23567B 23601B 23601B 2361B 2361B 2361B 2361B 2361B 23621B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (L447), general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement 61 ifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 10 tons friction drop stamp, general arrangement 10 tons friction drop stamp, general arrangement 10 tons suspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement 100 kgs pneumatic hammer, texrope drive, general arrangement 150 tons forging press, arrangement of lubrication 5 tons double-acting stamp, piston-rod type, general arrangement 10 cwt Rigby steam hammer, general arrangement 65 tons trimming press, tie-bolt type, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 25.10.1945 8.10.1945 8.10.1945 8.10.1945 8.10.1945 8.10.1945 8.10.1945 8.11.1945 8.11.1945 8.12.1945 8.12.1945 8.12.1945 8.12.1945 8.12.1945 8.13.1946 7.11.1945 8.11.1945 8.11.1945 8.11.1945 8.11.1945 8.11.1945 8.11.1945 8.11.1945 8.11.1945
23384B 23385B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23458B 23530B 23531B 23531B 23539B 23559B 23567B 23588B 23599B 23601B 23601B 23611B 23611B 23611B 23611B 23621B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 10 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement 100 kgs pneumatic hammer, texrope drive, general arrangement 500 kgs pneumatic hammer, texrope drive, general arrangement Foundation for 750 kgs pneumatic hammer (anvil block = 10 x FW) for belt or motor drive 150 tons forging press, arrangement of lubrication 5 tons double-acting stamp, piston-rod type, general arrangement 5 tons double-acting stamp, piston-rod type, general arrangement	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 25.10.1945 18.9.1945 25.10.1945 11.10.1945 8.11.10.1945 8.12.1945 23.7.1946 25.3.1946 7.11.1945 21.1.1945 21.1.1945 22.11.1945
23384B 23385B 23385B 23387B 23394B 23451B 23453B 23454B 23458B 23530B 23530B 23531B 23539B 23559B 23567B 23567B 23588B 23599B 23611B 23611B 23611B 23618B 23621B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 40 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 10 tht tons suspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, texrope drive, general arrangement 50 kgs pneumatic hammer, texrope drive, general arrangement Foundation for 750 kgs pneumatic hammer (anvil block = 10 x FW) for belt or motor drive 150 tons forging press, arrangement of lubrication 5 tons double-acting stamp, piston-rod type, general arrangement 65 tons trimming press, tie-bolt type, general arrangement 65 tons trimming press, tie-bolt type, general arrangement 65 tons trimming press, tie-bolt type, general arrangement 10 cwt Rigby steam hammer, general arrangement 10 cwt spring hammer, overhanging form, foundation	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 29.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 25.10.1945 8.10.1945 8.10.1945 8.10.1945 8.11.1945 8.11.1945 8.12.1945 23.7.1946 25.3.1946 7.11.1945 21.1.1945 21.1.1945 30.11.1945 30.11.1945 30.11.1945
23384B 23385B 23385B 23385B 23387B 23394B  23451B 23453B 23454B 23458B 23530B 23531B  23531B  23539B 23559B 23567B 23567B 23588B 23601B 2361B 2361B 2361B 23618B 23674B 23674B 23678B 23777B 23741B 23741B 23741B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 30 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 50 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 16 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 10 tons suspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, des CS31, general arrangement 100 kgs pneumatic hammer, texrope drive, general arrangement 500 kgs pneumatic hammer, texrope drive, general arrangement 50 tons forging press, arrangement of lubrication 5 tons double-acting stamp, piston-rod type, general arrangement 10 cwt Rigby steam hammer, general arrangement 10 cwt Rigby steam hammer, general arrangement 10 cwt spring hammer, overhanging form, foundation 30 cwt ram-type arch stamp, arrangement of valves	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945 11.9.1945 18.9.1945 25.10.1945 8.10.1945 8.10.1945 8.10.1945 8.11.10.1945 8.11.10.1945 8.12.1945 23.7.1946 25.3.1946 7.11.1945 2.11.1945 2.11.1945 3.0.11.1945 3.0.11.1945 3.0.11.1945 3.1.1946 9.1.1941 3.3.1944 17.1.1946
23384B 23385B 23385B 23385B 23386B 23387B 23394B  23451B 23453B 23454B 23498B  23508B 23530B  23531B  23539B 23539B 23567B 23588B 23599B 23601B 23607B 23611B 23618B 23678B 23678B 23707B 23717B 23741B 23765B 23770B	40 cwt guided ram stamp, stuffing box 40 cwt guided ram stamp, arrangement of stuffing box and gland 40 cwt guided ram stamp, arrangement of valves 40 cwt guided ram stamp, general arrangement 15 cwt -10 cwt-15 cwt battery friction drop stamp, J817, arrangement of lifters Special air-operated drop stamp, total falling weight 16 cwt, general arrangement 150 tons forging press, general arrangement 150 tons forging press, general arrangement 40 cwt self-contained friction drop stamp (L447), general arrangement 40 cwt double-acting stamp, guided ram type, general arrangement 40 cwt self-contained friction drop stamp (self-acting), general arrangement of lifter structure 150 tons forging press, general arrangement Marteau-pilon autocompresseur, type belier de 100 kgs de masse tombante, general arrangement Marteau-pilon autocompresseur, type belier, de 200 kgs de masse tombante, general arrangement 10 tons girder form hammer, general arrangement Marteau-pilon autocompresseur de 1000 kgs de masse tombante (type glissieres), general arrangement 8 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 16 tons friction drop stamp, general arrangement 10 tht tons suspended duplex stamp 200 tons trimming press, tie-bolt type, arrangement of lubrication 20 cwt clear space pneumatic hammer, texrope drive, general arrangement 50 kgs pneumatic hammer, texrope drive, general arrangement Foundation for 750 kgs pneumatic hammer (anvil block = 10 x FW) for belt or motor drive 150 tons forging press, arrangement of lubrication 5 tons double-acting stamp, piston-rod type, general arrangement 65 tons trimming press, tie-bolt type, general arrangement 65 tons trimming press, tie-bolt type, general arrangement 65 tons trimming press, tie-bolt type, general arrangement 10 cwt Rigby steam hammer, general arrangement 10 cwt spring hammer, overhanging form, foundation	28.8.1945 29.6.1945 13.7.1945 3.7.1945 5.8.1947  18.5.1945 31.5.1945 29.5.1945 17.7.1945 30.7.1946 29.10.1945  11.9.1945  18.9.1945 25.10.1945 18.9.1945 26.9.1945 8.10.1945 8.11.1945 8.11.10.1945 8.12.1945 23.7.1946 25.3.1946 7.11.1945 22.11.1945 30.11.1945 30.11.1945 30.11.1945 30.11.1945 30.11.1945 30.11.1945 30.11.1945 31.1946 91.11941 3.3.1944

	Presse a ebarber "Massey" a engrenages, type a bati assemble par des	
	tirants enacier 270 tonnes de pression effective, general arrangement and	
23794B	foundation	28.3.1946
23829B	2 cwt automatic self-contained stamp, general arrangement	10.5.1946
23831B	3 cwt automatic self-contained drop stamp, general arrangement	4.4.1946
23836B	5 tons double-acting stamp, piston rod type, general arrangement	23.4.1946
23841B	5 tons steam hammer, arch form, valve chest and details	19.3.1946
23846B	5 tons arch form hammer, general arrangement	3.9.1946
23852B	3 cwt self-contained friction drop stamp, general arrangement	20.2.1946
23853B	40 cwt steam hammer, Rigby type, without slides, CI framing	25.2.1946
23855B	3 cwt self-contained friction drop stamp, general arrangement	27.2.1946
23856B	4 cwt self-contained friction drop stamp, general arrangement	25.2.1946
23857B	4 cwt self-contained friction drop stamp, general arrangement	1.3.1946
23874B	10 cwt double acting stamp, arrangement of valves	19.3.1946
	Marteau-pilon autocompresseur de 150 kgs, type berier a glissieres, general	
23884B	arrangement	1.4.1946
23887B	10 cwt friction lifting gear , J809, general arrangement	28.5.1946
23919B	1 cwt self-contained friction drop stamp, general arrangement	7.6.1946
23924B	10 cwt bored drop stamp, arrangement of headgear	18.5.1945
23925B	10 cwt bored drop stand, general arrangement	23.7.1946
23935B	70 tons friction screw press, general arrangement	11.5.1946
23964B	1 cwt automatic self-contained drop stamp, general arrangement	3.5.1946
23969B	120 tons friction screw press, general arrangement	13.5.1946
23977B	500 kgs self-contained friction drop stamp, general arrangement	25.5.1946
23994B	Cylinder for 40 cwt steam hammer with slides, arch form, riveted framing	31.5.1946
24006B	120 tons solid frame trimming press, frame	5.6.1946
24010B	120 tons trimming press, solid frame type, general arrangement	17.6.1946
24045B	65 lb. spring hammer, general arrangement	2.7.1946
24139B	Arrangement of friction drop panel stamp, total falling weight 13 cwt	11.10.1946
24257B	20 cwt friction drop stamp, arrangement and details of hold up prop	4.5.1948
24542B	20 cwt pneumatic hammer, motor driven through texrope and counter shaft	14.7.1947
24554B	2 cwt clear space pneumatic hammer, des CS31, general arrangement	1.10.1947
24593B	90 tons trimming press, tie-bolt type, general arrangement	19.9.1947
	15 cwt-17 cwt friction drop stamp battery, J185 B1091-2, general arrangement	
24638B	and foundation	30.10.1947
24651B	250 tons high speed forging press, general arrangement	9.12.1947
24658B	500 tons low speed forging press, general arrangement	18.12.1947
24659B	250 tons low speed forging press, general arrangement	12.12.1947
24664B	20 cwt guided ram stamp, general arrangement	26.6.61945
24665B	10 cwt pneumatic hammer for ball forging, general arrangement	21.11.1947
0.4000D	Mouton a friction type independant de 1000 kgs (muni du dispositif de controle	00.44.4047
24666B	automatique "Simplex"), ensemble-chabatte a queue d'aronde	20.11.1947
24668B	550 tons trimming press, tie-bolt type, arrangement of lubrication	2.1.1948
24669B	Presse a ebarber "Massey" a engrenages type a bati assemble par des tirants	10.1.1040
	en cier de 550 tons de pression effective 5 cwt CS pneumatic hammer, des CS31, general arrangement	12.1.1948
24674B 24691B	60 cwt model arch form hammer, general arrangement	18.12.1947 19.12.1947
	, 5	
24807B	1000 kgs arch form hammer, general arrangement Drawings for Massey's exhibits at the Third Machine Tool and Engineering	24.3.1948
24812B		
24839B	Exhibition at Olympia in 1948  15 cwt Rigby form hammer, HW expansion, CI framing	13.5.1948
25207B	Foundation for 7 cwt Rigby steam hammer (anvil block 10 FW)	17.1.1949
25207B 25208B	7 cwt hammer without slides, Rigby type, handworked expansion valve	25.8.1949
25248B	40 cwt friction drop stamp, general arrangement	23.0.1949
	1 cwt bow spring hammer (normal speed), general arrangement	19.2.11040
25543B	Trimming presses, solid frame type (up to 200 tons incl), arrangement of	18.3.11949
25812B/25802B?	grease gun lubrication system	4.10.1939
26055B	60 cwt friction drop stamp, general arrangement	7.10.1303
26478B	120 tons trimming press, tie-bolt type, general arrangement	24.5.1951
29057	20 cwt self acting steam hammer, arrangement and foundation	23.10.1943
None	Sketch of hammer forms	[Not dated]
	Oncor or marinio. Totalio	[. 10. 00.00]